


72/ 250 (8)
155

No. 774 BUILDER'S CATALOG

Please refer to this catalog number when writing



E. T. BARNUM IRON & WIRE WORKS

DETROIT, MICHIGAN

ESTABLISHED 1866



ENTRANCE GATES AND FENCE

THIS catalog placed on file
will prove valuable for fu-
ture reference. Upon request we
will send you special Drawings and
full information on the following:

CANOPIES *and* MARQUISE
FIRE ESCAPES
BANK *and* OFFICE RAILINGS
IRON *and* WIRE FENCE
WIRE SIGNS
WIRE CLOTH
MAUSOLEUM DOORS *and* GATES
JAIL CELLS *and* PRISON WORK

*Write for catalog or
illustrations you want*

WITHOUT OBLIGATION, a selection
from thousands of special drawings will
be sent you upon request.

HEREWITH WE ARE SENDING YOU OUR LATEST CATALOG

Will you kindly fill out this card and mail it, (no postage necessary) giving the address of anyone in the market for goods shown in our catalog? We will send them our catalog and assist you in making a sale profitable to you; or if you prefer to handle it yourselves, we will help you in any way we can.

Are you in the market for Iron or
Wire Work, or have you pro-
spective customers requiring our
goods?

.....

We suggest Canopies for Theatres,
and Hotels; Fire Escapes for
schools and business buildings,
Wire and Iron Railings, Iron and
Wire Fencing, etc.

.....

Will you represent OUR interests
and send us particulars if we
include a commission for you?

.....

Writer's Name

Date..... Post Office..... State.....

POSTAGE
WILL BE PAID
BY
ADDRESSEE

NO
POSTAGE STAMP
NECESSARY
IF MAILED IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT No. 2 (Sec. 384 ½ P L & R) DETROIT, MICH.

E. T. Barnum Iron & Wire Works,

501-523 Cass Avenue,

DETROIT,

MICHIGAN.

E. T. Barnum Iron and Wire Works

DETROIT, MICHIGAN

TRADE DISCOUNT SHEET

For No. 774 Builders Catalog Only

ALL PREVIOUS DISCOUNTS
ARE NULL AND VOID.

These discounts do not apply to
prices in catalog marked NET

Purchaser will kindly bear in mind when figuring net prices from this discount sheet that unsettled market conditions make it necessary to change discounts radically, although in a majority of cases you can depend on printed discount.

In some instances, we are able to increase the discounts, especially where quantities favor production methods. However, trade discounts on special work made to order, are usually unsatisfactory, and whenever possible, mutually advantageous to let us submit a special net estimate.

Item	Discount	Page	Discount
0..... Balcony and Porch Railings— Less than 10 lineal feet....NET..... 10 to 25 lineal feet.....25%..... 25 lineal feet and more..... 30% and upward		21..... Sidewalk Tiling— Sections having less than 10 sq. ft. NET..... Sections having 10 sq. ft. or over 25%..... Area Railing.....25%..... Loafer Rails.....25%.....	
0..... Balcony and Stair Railings— Made to order only, any size or dimensions; prices upon application.		22-23..... Iron and Steel Window Guards and Panels 25 square feet or over.....15%..... 50 square feet or over.....20%..... 100 square feet or over— 25% and upward	
..... Collapsible Gates— Prices are based on width and height and necessary fittings. Please send size of openings and give particulars.		24-25..... Wire Window Guards— 25 square feet or over.....10%..... 50 square feet or over.....15%..... 100 square feet or over— 25% and upward	
-16..... Fire Escapes and Stairways— Special quotations on receipt of measurements and particulars.		Catalog prices do not apply on orders for two or three guards of small or different sizes. Narrow and irregular shaped guards require special estimating and all guards containing less than ten (10) square feet will be figured as ten (10) square feet.	
..... Balcony Brackets 25%.....		31..... Metal Panels— 25 square feet or over.....15%..... 50 square feet or over.....20%..... 100 square feet or over.....30%.....	
-15..... Iron and Steel Stairs— Prices quoted on receipt of particulars		Ventilating Panels— Send particulars for net prices.	
-19..... Fire Proof and Fire Retarding Doors, Fire Doors and Shutters— Net quotations covering any size or specifications on receipt of measurements of openings.		30..... Teller's Wickets 15%.....	
..... Spiral Stairways— Made only to order any height and width. Prices upon receipt of measurements.		27-29..... Bank and Office Railings— 15% and upward It is mutually advantageous to send us particulars so we may quote prices and offer suggestions.	
..... Fire Proof Vault Doors 25%..... Sidewalk Doors and Gratings 25% and upward			
Checkered Steel Doors— Send particulars for prices.			

Page	Discount
26-29....	Counter and Desk Railings—
	Less than 10 lineal feet....10%.....
	10 lineal feet or over.....15%.....
	25 lineal feet or over.25% and upward
32-35....	Metal Partitions—
	10 to 25 lineal feet.....15%.....
	25 lineal feet or more.25% and upward
35.....	Teller's Cage, Bank and Vault Partitions—
	Made to order only. Prices on application.
34.....	Floor Railings—
	10 to 25 lineal feet.....15%.....
	25 lineal feet or more.25% and upward
36.....	Doors and Gates.....15% and upward
	Door Guards, Push Bars—
	Made to suit any size or condition.
	Prices quoted on receipt of particulars.
37.....	Brass Railings, Etc.....15% and upward
48.....	Wire Signs—
	Send particulars for net estimate.
11.....	Bronze Tablets—
	Signs and Brackets. Send particulars for net estimate.
38-43....	Canopies, Marquise, Porticos—
	Made to order. Prices, specifications and suggestions on application.
46.....	Stable Fixtures.....25% and upward
	Vent Grates.....25%
	Ash Pit Doors.....25%
	Coal Hole Covers.....25%
45.....	Wire Baskets—
	Made to order in all sizes and for every purpose. Prices on application.
	Wire Electric Light Guards—
	Prices quoted on receipt of quantity.
	Machinery Guards, Switch Board Enclosures—
	Made to suit any size or condition.
	Prices quoted on receipt of particulars.

Page	Discount
	Refrigerator Shelves—
	Prices quoted on receipt of quantity and sizes required.
49.....	Wire Cloth, Wire Screens—
	Prices quoted on receipt of length, width mesh and wire.
47.....	Flagstuffs—
	Prices quoted on application.
	Eagle and Ball Ornaments..25%.....
	Weather Vanes.....25%.....
	Cresting.....25%.....
	Wheel Guards.....25%.....
50-54....	Jail and Jail Cells—
	Ask for Jail Catalog and give particulars.
55.....	Mausoleum Doors and Gates—
	Net prices and full information as to construction and equipment upon receipt of size of opening.
57-67....	Steel Picket Fencing—
	25 feet to 50 feet.....25%.....
	50 feet to 100 feet.....30%.....
	100 feet and more....35% and upward
	Steel Fence—
	Send particulars for prices.
62-67....	Entrance Gates—
	Furnished in all specifications. Prices on application.
	Entrance Arch and Gate.....25%.....
	Galvanized Wire Fence...25% and upward
	Interwoven Wire Fence..30% and upward
	Cemetery Lot Fence.....25%.....
	Wire Arch.....25%.....
67.....	Fence and Gates—
	Made to order in endless variety.
	Prices on application.
68.....	Settees.....25%.....
	Fountains.....15%.....
	Vases.....25%.....

TERMS:—Thirty days net or 2 per cent if paid within ten days from date of shipment to responsible buyers, or 3 per cent if cash is sent with order.
Buyers who are not rated satisfactorily by Mercantile Agencies, will avoid vexatious delays by giving bank references or remitting at least one-half the amount with order.
Bills unpaid at maturity will be drawn for at sight, with exchange added.
Drafts on New York or Chicago, Postoffice or Express Orders ONLY are received at par.
Personal checks MUST HAVE EXCHANGE ADDED.
Goods in transit are at the risk of the purchaser and no deductions allowed from invoice for alterations or repairs without our consent.
Package and Cartage charged at actual cost.
Special prices quoted on large quantities of any class of goods.
Legitimate competition met on equal quality of goods.
All previous discounts are null and void.
Freight equalized with New York and Chicago on good sized orders.
Please attach this sheet to Catalog No. 774 in which it comes and preserve for future reference.

E. T. BARNUM IRON AND WIRE WORKS
Detroit, Mich.

(OVER)

PLEASE NOTE CAREFULLY THESE TERMS AND CONDITIONS

TERMS—Thirty days net or 2 per cent if paid within 10 days from date of shipment to responsible buyers.

Buyers who are not rated satisfactorily by Mercantile Agencies will avoid vexatious delays by giving bank references or remitting at least one-half the amount with order.

Work made to order cannot be shipped "collect on delivery" unless one-half of the price accompanies the order.

3 per cent discount is allowed when entire amount is sent with order.

Bills unpaid at maturity will be drawn for at sight, with exchange added.

Drafts on New York or Chicago, Postoffice or Express Orders ONLY are received at par.

Personal Checks MUST HAVE EXCHANGE ADDED.

Package and cartage charged at actual cost.

FREIGHT—Equalized with Chicago, New York, St. Louis, and other principal shipping centers on large orders.

ERRORS AND DEDUCTIONS—We exercise the utmost care in filling orders, but in case of error, we reserve the right to replace any work made or shipped incorrectly. Any complaint must be made within 3 days after receipt of goods.

No deductions allowed from our invoices, for alterations or repairs, without our consent.

DELIVERY—When goods have been receipted for, by the Transportation Company, the shipment immediately becomes the property of the consignee and the shipper's responsibility ends. The Transportation Company is then responsible for any damage, loss, delay in transit, or failure to deliver within a reasonable time. Have loss or damage noted on the freight bill, by the agent before you pay the charges or accept the shipment, and then your claim against the Transportation Company can be readily adjusted.

Be sure to preserve your paid freight bill for future reference.

RETURNED GOODS—Goods returned without our permission will not be accepted or credited.

INDEX TO CONTENTS

A

Arches, Wire 67
Area Gratings 20
Area Railing 21
Ash Pit Doors 46

B

Backstop, Tennis 66
Balcony Brackets 12
Balcony Railings 8-9-10
Bank Railings 27-29
Baskets, Dipping 45
Baskets, Delivery 45
Baskets, Industrial 45
Baskets, Miscellaneous 45
Baskets, Waste Paper 45
Baskets, Wire 45
Box and Gallery Railing 37
Brackets, Balcony 12
Brass Door Guards 36
Brass Floor Railing 37
Brass Gallery Railing 37
Brass Guard Railing 37
Brass Guards 36
Brass Hand Rails 37
Brass Push Bars 36
Brass Railings 37
Brass Slide Pole 37
Brass Wickets 30
Bronze Tablets 11

C

Canopies 38-43
Cells, Jail 50-54
Cemetery Entrance Gates 64-65
Cemetery Fencing 57-67
Cemetery Vault Gates 55
Coal Chute 46
Coal Hole Covers 46
Collapsible Gates 4-5
Counter Railing 26-29
Cresting, Roof 47

D

Desk Railings 26-27
Dipping Baskets 45
Display Fountains 68
Door Grilles 23-25
Door Guards 23-25
Doors, Ash Pit 46
Doors, Cemetery Vault 55
Doors, Fire 18-19
Doors, Fire-Proof 18-19
Doors, Fire-Proof Vault 19
Doors, Kalamein 18
Doors, Mausoleum 55
Doors, Metal Covered 18
Doors, Money Vault 44
Doors, Sidewalk 20
Doors, Sidewalk Grating 20
Doors, Wire 36

E

Electric Light Guards 45
Entrance Gates, Iron 62-67

F

Fencing, Cemetery 57-67
Fencing, Factory 61-66
Fencing, Galvanized Wire 66-67
Fencing, Iron 57-64

Fencing, Tennis Court 66
Fencing, Wire 66-67
Fire Doors 18-19
Fire-Proof Doors 18-19
Fire Escapes 12-16
Fire-Proof Vault Doors 44
Fire Shutters 18-19
Flag Staffs and Poles 47
Floor Plates 21
Floor Railing 34
Folding Gates 4-5
Fountains, Display 68

G

Gallery Railings 37
Galvanized Wire Fence 66-67
Gates, Cemetery Vault 55
Gates, Collapsible 4-5
Gates, Entrance 62-63-68
Gates, Folding 4-5
Gates, Iron 62-67
Gates, Mausoleum 55
Gates, Walk 10
Gates, Wire 36
Gates, Wrought Steel 36
Gratings, Area and Sidewalk 20
Gratings, Wrought Iron 20
Grates, Vent 46
Grilles, Door 23
Grilles, Entrance 23
Grilles, Metal 31
Grilles, Window 23-24
Guards, Electric Light 45
Guards, Iron Wheel 47
Guard Railing, Brass 37
Guards, Brass 36
Guards, Door 23-25
Guards, Iron 22-23
Guards, Machinery 45
Guards, Stall 46
Guards, Transom 23
Guards, Window 22-25
Guards, Wire 24-25

H

Hand Rails, Brass 37
Hay Racks 46

I

Illuminating Sidewalk Tiling 21
Iron Cresting 47
Iron Doors 18-19
Iron Fencing 57-64
Iron Gates 62-67
Iron Guards 22-23
Iron Ladders 16
Iron Settees 68
Iron Shutters 18-19
Iron Stairs 14-15

J

Jail Cells 50-54
Jail Window, Guards 25

K

Kalamein Doors 18

L

Ladders, Wrought Iron and Steel 16

Ladders, Brass 37
Lawn Fencing 66-67
Lawn Furniture 68
Lawn Vases 68
Loafers Points 21
Locker Baskets 45
Lockups, Jail 51-52

M

Machinery Guards 45
Mangers, Oat 46
Manhole Covers 46
Marquise 38-42
Mausoleum Doors 55
Metal Covered Doors 18
Metal Grilles 31
Metal Panels 31
Metal Partitions 32-35
Metal Signs 48
Money Vault Doors 44

O

Oat Mangers 46
Office Railings 26-29
Ornaments, Flag Pole 47

P

Panels, Metal 31
Panels, Ventilator 31
Park Settees 68
Partition Railings 32-35
Partitions, Stall 46
Partitions, Vault 35
Plates, Floor 21
Porch, Railings 6-9
Poles, Flag 47
Post Office Partition 33
Push Bars, Brass 36

R

Racks, Hay 46
Rail, Loafers 21
Railings, Area 21
Railings, Balcony 6-10
Railings, Bank 27-29
Railings, Box and Gallery 37
Railings, Brass 37
Railings, Choir 37
Railings, Counter 26-29
Railings, Entrance 7-10
Railings, Floor 34
Railings, Office 26-29
Railings, Partition 32-35
Railings, Porch 6-10
Railings, Step 6
Railings, Tubular Floor 37
Railings, Tubular Stair 37
Railings, Wire 32-35
Register Panels 31
Reservoir Vases 68
Roof Cresting 47
Rubbish Consumer 45

S

Sanitary Consumers 45
Screens, Wire 49
Settees, Iron 18-19
Sidewalk Doors 20
Sidewalk Grating Doors 20
Sidewalk Tiling 21
Signs, Bronze 11

Signs, Metal 48
Signs, Miscellaneous 48
Signs, Wire 48
Skylight Guards 25
Slide Poles 47
Spiral Stairs 17
Stable Fixtures 46
Stair Rails 10
Stair Railing, Tubular Brass 37
Stairs, Iron and Steel 14-15
Stair Treads 21
Stairway Panel 25
Stall Guards 46
Stall Partitions 46
Steel Doors, Vault 44
Steel Gates 36
Steel Ladders 15
Switchboard Enclosures 45
Swimming Pool Ladders 37

T

Tablets, Bronze 11
Tellers, Wickets 30
Tennis Fence 66
Ticket Office Railing 37
Tiling Sidewalk 21
Transom Guards 23
Treads, Stair 21
Trellises, Wire 67
Tubular Area Railing 21
Tubular Stair Railing, Brass 37

V


Vanes, Weather 47
Vases, Reservoir 68
Vault Doors, Cemetery 55
Vault Doors, Money 44
Vault Gates, Cemetery 55
Vault Partitions 35
Vent Grates 46
Ventilator Panels 31

W

Walk Gates 10
Waste Paper Baskets 45
Weather Vanes 47
Wheel Guard, Iron 47
Wickets 30
Window Guards 22-25
Wire Arches 67
Wire Baskets 45
Wire Cloth 49
Wire Door 36
Wire Fence 66-67
Wire Gates 36
Wire Guards 24-25
Wire Partitions 32-35
Wire Signs 48
Wire Trellis 67
Wire Window Screens 24-25
Wrought Iron Balcony Railing 8-9-10
Wrought Iron Entrance Railing 7-10
Wrought Iron Grating 20
Wrought Iron Porch Railings 6-10
Wrought Iron Railings 6-10
Wrought Steel Balcony Railings 6-10
Wrought Steel Brackets 12
Wrought Steel Porch Railings 6-10
Wrought Steel Shutters 18-19


STEEL COLLAPSIBLE GATES

Collapsible gates of the disappearing type like those illustrated on these pages, can be supplied in steel or genuine bronze material. Usually made to order and arranged to suit any building or entrance conditions. Operation is automatic and the locking devices are provided so as to hold the gate securely whether open or closed.



No. 94—Collapsible Gate

Suitable for interior or exterior use and intended for large openings where a simple gate is not practical. Each section collapses and swinging off the track permits use of entire opening.




No. 107—Collapsible Gate

Practically automatic opening or closing and a positive barrier when locked.


For public entrance to any type of building and gymnasium, school and auditorium interiors. This design collapses and leaves entrance entirely clear. Simple to erect and cannot get out of order.

Merely Send Us: Width of Opening
Height of Opening (Or Height of Gates Wanted)
Kind of Building




No. 86—Collapsible Gate

A very desirable medium priced gate, for use where protection is required and can be made either single or double, for wide openings and any height desired.



No. 80-B—Collapsible Gate

Designed for use where ornamentation would be undesirable and where a hinged gate would be in the way. The bars are usually $\frac{5}{8} \times 3/16$ inch. No upper track is necessary for an opening under five feet wide.



No. 71—Collapsible Gate

The guidance bars at top and folding tracks at bottom maintain this gate in straight line and make it very effective as a protection.

Collapses in a small space but is no suitable for all conditions.


STEEL COLLAPSIBLE GATES

Protection and Privacy at All Times

Particularly adaptable for any building entrance. For temporary exclusion of traffic during day or night. Collapsible gates (frequently termed folding gates) provide the greatest economy of space with maximum security. Superior to any type of swinging gates because of their adaptability to building entrances where space is limited.

Especially Good for Warehouse, Market, Theatre, Hotel and Banking Entrances


Although furnished in a wide variety of designs, we illustrate only those most suitable for the average business or industrial entrance. For factory gates or switching tracks, the collapsible gate is most ideal and can be supplied to cover openings as wide as 30 feet.



No. 85—Collapsible Gate


Suitable for inside or outside use. Intended for large openings where it is not practical to use a single gate.

It has no bottom track, but hangs from and rides on the track above. It is easy to operate and is the least expensive of all our double collapsible gates.




No. 82—Collapsible Gate

A more ornamental type designed for use for entrance to commercial buildings. Equipped with forged scroll pickets (see sectional view) and top and bottom lifting tracks. Uprights are of wide and narrow bars to provide variety. Can be supplied in any height desired.




One-half of Gate Folded



No. 102—Collapsible Gate











Inexpensive but rigid construction. The track at top acts as a horizontal brace. Most suitable for protection of entrances, hallways, store fronts, etc.



No. 87—Collapsible Gate

Entrance enclosure composed of collapsible gate with heavy mesh transom. A most satisfactory method for closing the entire lobby of theatre, bank or commercial building entrance after business hours. The collapsing gates are easily folded at the sides and swing behind the side pillars or columns. Non-climbable and entry proof.

COMPLETED RAILINGS SHOWING ACTUAL APPEARANCE




RAILINGS IN WROUGHT IRON

Ornamental railings in wrought iron and steel materials for stairs, steps, terraces and approaches are most decorative when the design and construction is developed to suit the architecture of building or surrounding conditions. We offer for your selection distinctive designs for every purpose.




Balcony and Entrance Railings—Fanlight Grills

Residence of Mr. L. P. Simon
Kalamazoo, Michigan
Alexander McColl, Architect




Ornamental Hand Rails and Newels


Main Staircase Hotel Stevenson
Detroit, Michigan
Jos. P. Jogerst, Architect




No. 224—Wrought Iron Railing



No. 216—Wrought Iron Railing




No. 213—Wrought Iron Railing




No. 217—Wrought Iron Railing

BALCONIES AND RAILINGS




No. 75-E—Wrought Steel Balcony and Porch Railing

Railing, per lineal foot, 33 inches high, painted.....\$ 9.35
 Forged Steel Brackets, 36 inches long, including wall bolts, nuts and washers each, 24.00
 Corner Scrolls each, 8.00




No. 74-D—Wrought Steel Balcony and Porch Railing

Railing, per lineal foot, 33 inches high, painted.....\$ 8.00
 Forged Steel Brackets, 36 inches long, including wall bolts, nuts and washers, each.....16.00




No. 110—Wrought Steel Balcony

A very favorite pattern that will fit in well with the architecture now in vogue.




No. 91—Design for Window Balcony




No. 80—Wrought Steel Balcony and Porch Railing

Extra heavy construction for severe service. Cast or wrought brackets. Price varies with size of balcony. Especially appropriate for enclosed porches on apartment buildings.




No. 72-D—Wrought Steel Balcony and Porch Railing

Price per lineal foot, 33 inches high, painted.....\$5.00
 Can be made higher if desired. This is a neat, inexpensive design.



No. 108—Wrought Steel Balcony

Standard construction, not expensive but handsome and durable.




No. 104—Design for Window Balcony

All designs illustrated may be varied in construction and can be supplied in any height to suit building conditions. Prices do not include floor and are figured on a basis of reasonable quantity. Where short sections and odd lengths are required we prefer to submit special prices. Architects and builders seeking original design and new ideas are requested to write us with full particulars.

RAILINGS FOR BALCONY, PORCH, TERRACE AND STEPS


All Railings Are Made Entirely to Order and Can Be Arranged to Suit Any Conditions Existing at the Building.



No. 93—Wrought Steel Balcony and Porch Railing




No. 95—Wrought Steel Balcony and Porch Railing




No. 88—Wrought Steel Balcony and Porch Railing



No. 86—Wrought Steel Balcony and Porch Railing




No. 84—Wrought Steel Balcony and Porch Railing




No. 76—Wrought Steel Balcony and Porch Railing



No. 82—Wrought Steel Balcony and Porch Railing




No. 78—Wrought Steel Balcony and Porch Railing



No. 77-C—Wrought Steel Balcony and Porch Railing


Price per lineal foot, 33 inches high, painted.....\$4.80



No. 79-C—Wrought Steel Balcony Railing
(SWELL FRONT)

Price per lineal foot, 33 inches high, painted.....\$8.00


ORNAMENTAL IRON RAILINGS AND GATES



No. 114—Design for Stairway




No. 112—Design for Stairway



No. 228—Design for Step and Platform



No. 230—Design for Entrance and Balcony



No. 801—Wrought Iron Gates


For interior use. Design may be changed to suit any architectural conditions.



No. 812—Wrought Iron Gates


Design and construction especially arranged for interior use and decoration.

Everlasting records made from genuine bronze metal of U. S. standard alloy. Rich, handsome, enduring and not expensive. Memorial records, commercial announcements of every type and for any purpose. Send outline of lettering and approximate size wanted and we will submit proposal with complete suggestion.



No. 58—Bronze Tablet

All tablets are special custom made products and it is obvious that prices cannot be named in a catalog. We submit without charge, sketches and prices for your inspection.




Bronze Sign

For professional offices, architects, attorneys and doctors; genuine bronze signs indicating name and profession, have class and business getting qualities not obtainable by any other type of sign. We furnish these in any language.


SECURITY FIRE ESCAPES FOR PROTECTION

To avoid delay we suggest making simply a pencil outline, with measurements, of that part of the building where escape is to be placed. Or we will mail you a printed blank on which measurements can be inserted.



No. 818—Fire Escape

Where two or more window exits are used, the No. 818 design escape is most effective. Straight away stair runs and platforms make for efficiency and reduces expenses in construction. The ladder can be of stationary or counter weight type. Only approximate dimensions are necessary for preliminary estimating.




No. 725—Fire Escape

With this style Fire Escape the opening or well hole for descending the stairway is done away with, rendering the platform more safe, especially when crowded with people in a hurry to descend.

The counterbalanced stairway is ready for instant use, and when not in use, remains in a horizontal position high enough to permit pedestrians to walk under it with safety.

Send us particulars of what you require and we will submit a net estimate.

BALCONY BRACKETS



No. 2-C—Wrought Steel Bracket

Made any size

Each
For Balcony, 24 in. wide. \$14.00
For Balcony, 30 in. wide. 15.00
For Balcony, 36 in. wide. 16.00
For Balcony, 42 in. wide. 17.00
For Balcony, 48 in. wide. 18.00

A plain, strong bracket, made with heavy bolt to go through the wall, with nut and washer on inside of building.




No. 11-B—Wrought Steel Bracket

Made any size

Each
For Balcony, 24 in. wide. \$16.00
For Balcony, 30 in. wide. 17.00
For Balcony, 36 in. wide. 18.00
For Balcony, 42 in. wide. 19.00
For Balcony, 48 in. wide. 20.00

Made with bolt to extend through wall, and secured with nut and washer on inside for supporting balconies and stairs.




No. 12-B—Wrought Steel Bracket

Made any size

Each
For Balcony, 30 in. wide. \$18.00
For Balcony, 36 in. wide. 19.00
For Balcony, 42 in. wide. 20.00
For Balcony, 48 in. wide. 21.00

State thickness of wall in ordering.




No. 13-B—Wrought Steel Bracket

Made any size

Each
For Balcony, 36 in. wide. \$30.00

Made with bolt to go through wall with nut and washer on the inside, as shown above.

SAFE FIRE ESCAPES FOR EASY EXIT



No. 835—Steel Fire Escape


Where building exits stand one above the other this arrangement of platforms is the most efficient and provides easy and safe escape. Single and double exit platforms, with stairs are available for every kind of building, public or private.

Wellsburg, W. Va.

E. T. Barnum Iron & Wire Works:

The **FIRE ESCAPE STAIRWAYS** received in good condition and I have them erected and would say that I am well pleased. They are really better than I expected and I am glad that my friend K. C. Breshear recommended your firm to me for good work. The fire escape is certainly fine, so easy to erect.

Yours very truly,
JULIUS VOLLHARDT.



No. 840—Steel Fire Escape

Designed for use on a building of three or more stories so as to include exit doors or windows directly above each other. Especially advantageous for front of building above a sidewalk or at rear of building in driveway or alley where a stairway extending to the ground would be objectionable. Illustration shows ladder when idle. By releasing the catch the ladder drops down ready for use.

St. Anthony, Idaho.

E. T. Barnum Iron & Wire Works:


We have used four of your **FIRE ESCAPES** on buildings for the Idaho Industrial Training School at St. Anthony, Idaho.

We have had considerable experience in building construction and think your fire escapes are first class in every particular.


Very truly yours,
F. L. McGREW.

No. 43—Steel Stairway

A neat, substantial stairway especially adapted for Lodge Rooms, Schools, and other Public Buildings. It is an inexpensive stairway and gives excellent satisfaction.


**No. 39—Steel Fire Escape Stairway**

The stair treads and balcony floor being of steel bars spaced so as to allow snow and ice to pass through. This is a plain, strong and inexpensive stairway and is usually made 24, 30 or 36 inches wide, and gives universal satisfaction. Send rough sketch giving particulars and measurements and we will promptly mail a special estimate.



IRON AND STEEL STAIRS

For Exterior Use

**No. 24—Steel Fire Escape Stairway**

Treads and platform of this construction allow the snow and ice to pass through. This design is intended more for practical than ornamental use. Especially adapted for Schools, Theaters, Apartment Houses and Public Buildings where a substantial and inexpensive stair is required. Usually made 24, 30 or 36 inches wide, but can be made wider if desired.

No. 40—Covered Fire Escape and Stairway

The Fire Escape is entirely protected by a corrugated, galvanized sheet iron covering and is especially desirable for outside use.

It is made with easy rise and run, so that it may be used as a stairway. The stairway thus enclosed is always free from snow and ice, thereby making it perfectly safe.

Very desirable for Schools, Theaters, Factories and other buildings where a number of people descend. We solicit your correspondence. Can be made in any size and to meet any conditions.



New Britain, Conn.


E. T. Barnum Wire & Iron Works:

We wish to advise that the **Iron Stairs** supplied by you have given perfect satisfaction. We also wish to state that the stairs assembled without any fitting on our part.

Yours very truly,
CORBIN CABINET LOCK CO.


FIRE ESCAPES AND STAIRWAYS

All steel or iron work of this nature can be furnished to suit any conditions. No difficulty exists which cannot be overcome by our staff of designers and engineers who are at your service whether you buy or not.




No. 807—Wrought Steel Fire Escape Stairway

Designed for two-story buildings where conditions will not permit the stairs being placed against the wall. Can be made to fit any building. When writing for prices, give width of window or door opening, and distance from underside of sill to ground.




No. 850—Steel Stairway

Very appropriate for fire escape or outside entrance. The treads and platform floor are made of iron bars spaced about 1 inch apart with open risers. The size of platform and rise and run of stairs can be made to suit any conditions.



No. 810—Counterbalanced Fire Escape Stairway

Designed for two-story buildings, arranged to swing up and out of the way when not in use. Send particulars for prices.




No. 855—Steel Stairway

Especially suitable for outside entrance to public or private buildings. The treads and platform floor are of solid steel plate with checkered surface making them non-slippery. The risers are of solid steel plate. Can be made to fit any dimensions.

FIRE ESCAPES AND STAIRWAYS


All steel or iron work of this nature can be furnished to suit any conditions. No difficulty exists which cannot be overcome by our staff of designers and engineers who are at your service whether you buy or not.



No. 222-C—Steel Ladder Fire Escape


Usually made 18 inches wide and to extend over roof.

Bend over cornice extra. Any length or width and shape to suit the conditions on building.



No. 221-C—Steel Vertical Ladder

Can be made any length or width desired. Send particulars and measurements for prices. Can furnish brackets or anchors to fasten the ladder to brick or woodwork.




No. 211-C—Steel Slanting Stairs for Fire Escapes

Hand Rail on One Side


Tread six inches wide.

Can be made any length or width desired, and the slant preferred. Send perpendicular height and horizontal run when ordering or writing for prices.



No. 846—Fire Escape

Inexpensive ladder type designed for hotel and factory buildings where the stairway type is not necessary. The well hole and ladder being protected by the bar enclosure provides utmost safety when descending. Our suggestions and proposal will explain all details. Easy to erect and permanent.




No. 675—Steel Fire Escape


The usual size of platform for single window is 4 feet 6 inches long by two feet wide but it can be made longer to take in as many windows as desired. The ladder is 18 inches wide and placed near the platform, affording easy access. When writing give the width of window opening and the distance from ground to underside of window sill at each floor and height of roof.

SPIRAL STAIRWAYS

All iron construction. Safety treads that will not let you slip. Easy erection without breakage. Spiral stairs save about 70% of space.



No. 37—Spiral Stairs




No. 46—Spiral Stairs

Standard sizes are 48", 54" and 60" diameter but special diameters can be supplied to meet any conditions.

For industrial, commercial or private buildings where space is limited, the spiral stairway produces the best results. Easily erected by ordinary labor at the minimum expense because technical knowledge is unnecessary.


Send us height you require from floor to floor and we will work out the best arrangement for your conditions.

FIRE-PROOF AND FIRE-RETARDING DOORS




No. 183—Fire Door

Standard construction and equipment with level track. Practically the same as No. 171 door, but where insufficient head room prohibits the gravity track, this style of door is necessary. Proper balance is achieved by the use of two sets of weights. Not expensive and fully inspected and labeled by Underwriter.




No. 171—Fire Door

Tin clad and self closing, equipped with TWO fusible links thus providing exceptional provision for automatic closing. Construction and equipment is standard with the regulations of the National Board of Fire Underwriters and carries the Underwriters Laboratory inspection and label. Send particulars for our prices and suggestions.



No. 160—Kalamein Door

Illustration shows solid panels.




No. 162—Kalamein Door

Illustration shows wire glass in upper panel.


Standard construction, consisting of the usual wood core covered with sheet metal of galvanized steel, plain sheet steel or copper, absolutely fire retardant, light in weight but strong and durable. Hardware and equipment arranged to suit any type of entrance or exit, public or private.

Kalamein is a trade name for any fire resisting material, hence a really fire proof door is properly called Kalamein. The doors illustrated take the place of any regular wood door and may be fitted to any type of opening.


FIRE-PROOF DOORS AND SHUTTERS



No. 55—Wrought Steel Fire Shutters
OPEN VIEW




No. 55—Fire Shutters or Doors
CLOSED VIEW




No. 56—Wrought Steel Fire Shutters

This cut illustrates our segment top shutters with double lock bars, etc.




No. 57—Sliding Fire Shutters

Used on either the inside or outside of window openings when the space between windows will permit and they are made to overlap at top and both sides.



No. 54 Wrought Steel Fire Door


For protection from fire, burglars, etc. Made to fit any size or shape opening and of different thickness of steel plate according to the thickness of the frame and cordings. Forged iron hinges, frame and hasp for padlock fastening. In writing for prices state net size of opening, and we will allow for lap at top and sides. State for what purpose they are to be used.



No. 59—Wrought Steel Fire Shutters


Designed especially for double windows or large openings. Each half is hinged at center and made to fold when being opened. State dimensions of brick opening in wall, when writing for prices.

SIDEWALK DOORS AND GRATINGS




No. 256—Diamond Steel Plate Sidewalk Doors

Made either single or double and in many sizes, complete with frame, check chains and locking bar. These doors are very strong and especially suitable where traffic is heavy. The surface is diamond, non-slippery, making it perfectly safe for anyone to walk on. State size of opening and we will quote a net price.



No. 263-C—Improved Sidewalk Doors


Constructed of steel plate, with diamond checkered surface. These doors are constructed on an entirely new principle and easily adaptable to any slope of sidewalk. The hinges are concealed and arranged so as to throw all the weight of the door behind the fulcrum thus permitting easy operation and doing away with use of chains or stay rods. Price (four feet square or over). Per square foot.....\$ 5.00 Extra for hinges, fittings and frame on double door... 12.00



No. 253-F—Cast Iron Illuminating Sidewalk Doors

SPECIFY SIZE OF OPENING IN WRITING FOR PRICES

Doors are of cast iron with regulation bull's-eye glasses. They are very durable and necessarily rigid. On account of their weight they should not be used for large openings. Price, per square foot (over all).....\$ 7.00 In addition to the price per square foot, add for Double doors, extra 16.00




No. 255—Solid Checkered Steel Doors

With Stay Rods and Chains

The solid checkered plate is reinforced with substantial framing, holding the door level and firm. This construction prevents warping, a dangerous and objectionable feature in the cheaper grade of sidewalk doors. The extra heavy framing around the outside may be provided with anchors and the heavy locking device makes this door desirable for the better type of building.


Special prices on receipt of size of opening.



No. 254-C—Steel Plate Sidewalk Doors

Price, per square foot over all....\$5.00 If double door add \$12.00, cost for extra work.


These doors are made of steel plate set with button-head rivets to make non-slippery. State fully what you want in writing for prices.



No. 177—Combined Window Guard and Area Grate

This illustration shows the Window Guard and Area Grate combined. The guard will keep the area free from papers and other refuse with which most areas are filled.

Send particulars of what you require.



No. 4—Sidewalk Grating Door

This wrought iron grating door is illustrated partly open and held in place by check rods. A more convenient and sensible method than the usual lifting grating as this is arranged with forged padlock fastening.





No. 11 1/2-E—Wrought Iron Grating

Made of wrought iron, with heavy iron frames.

For sidewalks in front of store windows. Can be made any size and to open on hinges if desired.

In writing for estimates, give exact size of opening. Price \$2.75 to \$3.00 per square foot, depending upon size of grating weight of material, etc.


SIDEWALK TILING, FLOOR PLATES, STAIR TREADS



Concrete Sidewalk Tiling

No. 204D—Made with plain lens.....Price per sq. ft., \$8.00
 No. 205D—Made with multi-prism lens..Price per sq. ft., 8.50
 No. 206D—Made with refracting lens....Price per sq. ft., 9.00

An architecturally attractive, waterproof and durable construction, entirely reinforced concrete and glass, having no iron beams, therefore, is not subject to rust, warpage or buckling. The glass area is unusually large, thereby giving more illumination.




No. 200-E—Bull's-Eye Illuminating Tiling

Price per square foot, \$10.00

This was for years the standard tiling and is today preferred by many. It is strong, durable and serviceable.


The work is shipped ready to set in place.

Tiling should have a bearing of at least two inches on all four sides.




No. 370-F—Tubular Area Railing with Globe Connections

36 inches high, 1½-inch outside diameter rails, painted per lineal foot, \$2.75
 36 inches high, 1½-inch outside diameter rails, painted per lineal foot, 3.40
 Loafer Points, extra.....per lineal foot, .80
 Each Tubular-Post, or Upright, extra..... 4.90



No. 28-B—Loafer Rail

Either design rail, 5 feet long or over.....complete per lineal foot, \$2.80
 Designed to prevent loafing and lounging. The term Loafer rail is a misnomer but no other phrase is so well understood. The spikes or points may be applied to almost any type of metal railing. Made to order to fit any opening or condition.




No. 340—Floor Plates

Diamond Checkered Surface


The roughened surface and unusual strength of this plate make it superior to cast iron plate and at a less cost.

Universally used for stair treads, gutter plates, engine platforms, garage floors, loading platforms, etc. Can be supplied in graded thicknesses to carry heavy loads, cut to any slope or size. When used as stair tread the usual nosing is arranged.



No. 350—Stair Treads

Diamond Checkered Surface




No. 355—Stair Treads

Diamond Checkered Surface

Non-slippery steel plate stair treads with diamond checkered surface. For new or old stairways providing a lifetime service.

Can be made any length and width desired.

Always give the size and quantity when writing.




No. 371-G—Without Spikes. No. 372-D—With Spikes on Upper Rail

Wrought Iron Tubular Railing for Stair Areas, Etc.


No. 371-G—1½-inch diameter rails, 36 inches high.....per lineal foot, \$ 3.40
 No. 372-D—1½-inch diameter rails, with loafer points or spikes per lineal foot, 4.00
 Ornamental Newel posts, as shown.....each, 16.00
 Cast Newel posts, about same size, stock design.....each, 16.00
 Each tubular upright with flange..... 4.00

In ordering, state whether for wood or stone, and send sketch giving measurements exactly as the railing is wanted when set. By observing these directions there will be no delay occasioned in writing for them.




No. 30-B—Loafer Rail

WROUGHT IRON WINDOW GUARDS




No. 129-C—Steel Window Guard

Per sq. ft.
 Made with ½-in. sq. steel pickets\$2.00
 Made with ⅝-in. sq. steel pickets 2.40
 Made with ¾-in. sq. steel pickets 2.80




No. 37-D—Steel Window Guard

Per sq. ft.
 Made with ½-in. round steel pickets\$1.60
 Made with ⅝-in. round steel pickets 2.00
 Made with ¾-in. round steel pickets 2.40




No. 35-C—Steel Window Guard

Per sq. ft.
 Made with ½-in. round steel pickets\$1.20
 Made with ⅝-in. round steel pickets 1.60
 Made with ¾-in. round steel pickets 2.00
 Intended for rear windows and doors, or any place where a plain iron guard is wanted. Can be made any size or shape desired.




No. 134-C—Steel Window Guard


Per sq. ft.
 Made with ½-in. round steel pickets\$1.20
 Made with ⅝-in. round steel pickets 1.60
 Made with ¾-in. round steel pickets 2.00




No. 123—Window Guard




No. 165—Window Guard




No. 164—Window Guard



No. 142—Steel Window Guard
 Equipped with hinges and locking attachment and hung in a separate frame.




No. 133—Steel Lattice Window Guard



No. 174—Wrought Steel Guard


No. 175—Wrought Steel Guard

Horizontal openings are nicely provided with designs like No. 174 and No. 175.




No. 38—Wrought Steel Guard


ORNAMENTAL GUARDS FOR WINDOWS, TRANSOMS, DOORS, ETC.



No. 159—Wrought Steel Guard




No. 184—Steel Guard




No. 186—Steel Guard

Both No. 184 and No. 186 designs are intended for horizontal openings. Prices vary with size.



No. 158—Wrought Steel Guard



No. 127—Door or Transom Guard


Furnished in polished steel, or genuine brass material. Colored finishes to suit any arrangement of surroundings.



No. 181—Window Grille




No. 180—Window Grille




No. 128—Door or Transom Guard

Made to order to fit any size or style of opening. May be equipped with hinges and deadlocks. Permanent lusterless black or colored enamel finishes.



No. 126-E—Wrought Steel Window Guard

"Swell Bodied" and particularly adapted for bank and office windows. Uprights are usually $\frac{3}{8}$ inch square. Price, 36 inch high, per square foot.....\$3.60 Over 36 inches high price is less per square foot according to height. Can be made any height.




No. 131-D—Wrought Steel Window Guard

Price, not less than 36 inches high, per square foot....\$2.40 Over 36 inches high price is less per square foot according to height.

Usually finished in dead black.

This design is used for protecting windows of bank and office buildings. It is particularly suitable where the window sill is low, and effectually prevents loafers from utilizing the sill for a lounging place.

STRONG WIRE GUARDS FOR EVERY PURPOSE




No. 5 1/4-E—Wire Guard

This illustration shows the combined guard and screen lining, the latter preventing flies, insects, mice, etc., entering buildings. Specifications, construction and prices same as No. 5-E window guard. The screen lining is net extra as follows:

Galvanized fly screen lining, per sq. ft. 10c

Bronze fly screen lining, per sq. ft. 20c

Extra heavy galvanized wire cloth lining, per sq. ft. 18c



No. 4-D—Window Guard


WITH STRONG CHANNEL STEEL FRAME to set into a jamb and fasten with screws.

STANDARD SPECIFICATIONS

Mesh	Wire	Per Sq. Ft.
1"	No. 12	\$0.55
1 1/4"	No. 11	.50
1 1/2"	No. 10	.50
1 3/4"	No. 9	.55
2"	No. 8	.50
2 1/2"	No. 7	.55

EXTRA HEAVY CONSTRUCTION

Mesh	Wire	Per Sq. Ft.
1"	No. 10	\$0.75
1 1/4"	No. 9	.70
1 1/2"	No. 8	.70
2"	No. 7	.70
2 1/2"	No. 5	.80




No. 5-E—Window Guard

With heavy round steel frame and set in place with wire eyes or staples.


Mesh	Wire	Per Sq. Ft.
1"	No. 15	\$0.40
1 1/4"	No. 13	.35
1 1/2"	No. 12	.35
1 3/4"	No. 11	.35
2"	No. 10	.35
2 1/2"	No. 9	.35

Mesh	Wire	Per Sq. Ft.
1"	No. 14	\$0.55
1 1/4"	No. 11	.60
1 1/2"	No. 10	.60
1 3/4"	No. 9	.60
2"	No. 8	.60
2 1/2"	No. 7	.55



No. 136—Removable Wire Guard

Made of same mesh and wire and frame as our No. 5-E guard but equipped with side frame projections so as to be easily removable. Padlock fastening where necessary. Suitable for pool rooms, cafes and similar places.



No. 176—Wire Guard

Made up in rolls of any length and width and can be cut off as required. Desirable for long partitions in factories, work rooms, etc.


Specifications and prices the same as No. 5-E wire guard on this page.

PLEASE READ CAREFULLY

Catalog prices do not apply on orders for two or three guards of small or different sizes.

Narrow and irregular shaped guards require special estimating and all guards containing less than ten (10) square feet will be figured at ten (10) square feet.

All wire guard work is painted black or green. Any other color costs extra.




No. 124-C—Window Guard

Standard type and construction especially good for schools, asylums, hospitals and public buildings. Constructed of No. 9 steel wire interwoven in 2-inch mesh with steel channel frames, hinge and locking bars. Any type of lock available.


Price, per square foot. \$0.50

Extra for hinges and hasps, net 2.09




No. 154—Wire Guard

Intended for interior use and very widely used for sleeping apartments and rooms where windows are kept open most of the time. Construction is similar to our No. 5-E guard.



No. 152—Wire Guard

Showing our No. 4-D window guard equipped with top and bottom locking device. Not easily tampered with and more secure than the ordinary hasp and staple.




No. 10-B—Wire Guard

WITH ANGLE IRON FRAME


	Per sq. ft.
1 1/4-in. mesh, No. 11.....	\$0.50
1 1/2-in. mesh, No. 10.....	.55
2-in. mesh, No. 9.....	.55
2 1/2-in. mesh, No. 7.....	.60

MISCELLANEOUS WIRE GUARDS



No. 141—Church Window Guard


For churches and chapel windows the standard diamond mesh guard is universally used. These guards are made with or without the improved hinged section so as to provide for opening of ventilator in stained glass windows. Woven wire guards insure the windows from breakage.



No. 5-E—Guard


Illustration shows the No. 5-E Wire Window Guard as used on large windows of institutions, factories, etc., and can be made to open when necessary.

See price list under 5-E on opposite page.



No. 4-D—Guard

Illustration shows the No. 4-D Wire Window Guard as used on store windows and buildings requiring a guard with an extra heavy frame. Can be made with hinges and lock if preferred.




No. 147—Woven Wire Guard

Showing heavy mesh fabric framed with steel channels and provided with hasps and staples which we furnish in three standard types.


See price list under 4-D on opposite page.

No matter what the conditions on your windows we can provide the most secure protection.




No. 24—Wire Guard

Made with separate angle steel frame and special locking device. Especially adapted for fuel windows.



No. 146—Window Guard

Designed for large windows or groups of two or more windows in one bay, or factory or commercial buildings. The wire mesh is extra heavy and framed with steel channels in sections, all surmounted with sharp pickets. These may be omitted and the guard arranged to fill entire opening. We can furnish any kind of guard for any condition and have hundreds of special designs on file. Send for our suggestions and prices.




No. 114-C—Heavy Steel Wire Jail Window Guard

Price, per square foot.....\$1.00

The purpose of this small mesh wire guard is to prevent the passage of tools, weapons, drugs, etc., to prisoners.


Made from heavy wire, interwoven in fine mesh openings (about 1/4-inch square) and framed with round steel frame work.

Please specify the number and size of windows and we will quote prices with necessary fittings ready to put in place.



No. 202—Skylight Guard

To avoid breakage of glass and consequent damage to stocks, skylights are usually protected with woven wire guards. The illustration above is suggestive of what we can furnish for this purpose. Size, shape and conditions do not hinder our making an effective protection. Approximate measurements only are necessary for us to quote prices and offer suggestions.



No. 175—Wire Guard

Price list on guard same as listed under No. 5-E. Wreath or fleur-de-lis ornament extra.

No. 144—Panel or Guard


Showing a panel arranged to fit the opening in wood on the rake of stairway. Used principally in factory, school or institutional buildings where a secure and inexpensive railing is necessary.

COUNTER AND DESK RAILINGS

THESE DIRECTIONS WILL AVOID MISUNDERSTANDING AND ASSIST IN GETTING YOUR WORK MADE CORRECTLY

- 1.—State number of design wanted. (All designs are numbered.)
- 2.—Specify the height desired.
- 3.—Make a floor plan by drawing a line showing how the work will set, giving exact lengths, outside to outside of rails.
- 4.—Mark location and size of cash holes.
- 5.—If there are any wickets desired, mark their location on the diagram, give size and style and state if wanted hinged or made stationary.

- 6.—State what ends of railing finish against.
- 7.—If doors are wanted, indicate on plan which way they should swing. We usually put on a spring latch, having a key-hole on outside and knob only on inside. Mark on plan on which side knob should be.
- 8.—If there are curves, give the exact radius, and the beginning and ending of the points of the curves, or send a paper pattern cut to exact shape of curve.
- 9.—State how work is to be finished.




No. 202-B—Counter and Desk Railing

12 inches high to 24 inches high.....per sq. ft. 90c

24 inches high to 36 inches high.....per sq. ft. 75c

Extra for shaping Ogee ends, 75 cents each, net. Cash holes 7x8 or 8x10, \$1.00 net, extra. Large Cash Holes, \$1.50 extra, net. This railing has round iron frame and is secured to counter with screws which pass through wire eyes attached to the frame. Usually finished in lusterless black.



No. 2-B—Wire Counter Railing

12 inches high to 24 inches high.....per sq. ft. 90c


24 inches high to 36 inches high.....per sq. ft. 75c

Extra for shaping Ogee ends, \$1.00 each, net.

No. 11 Cash hole can be made any size. Usual sizes are 7x8 or 8x10, costing \$1.00 each net extra.

No. 21 Cash hole is generally made 10x12 or 12x14, price \$1.50 each net extra.

This railing is not intended for large offices, but more especially for store counters, desks, etc., where serviceable but low-priced railing is required. The frame is $\frac{1}{4}$ to $\frac{1}{2}$ -inch round iron with $1\frac{1}{4}$ -inch mesh, crimped diamond wire work. It is desirable to have the ends turn in or project over the counter to help strengthen it, unless each end can be secured to woodwork. Iron braces accompany the railing when in long pieces. Usually finished in lusterless black.



No. 7-K—Counter and Desk Railing

This design may be supplied with or without standards, cash holes, or openings. The steel channel frame fastens directly to the desk or counter top with wood screws.

24 inches high to 42 inches high.....per sq. ft. \$ 0.85

Ogee return ends.....extra each net 2.00

Teller's Wicket.....extra each net 16.00

No. 21½ Cash hole, each net.....2.00


Hinges and locks for wicket.....extra each net \$4.00

Pickets on top extra.....per lineal ft. net .35

Ornamental arch.....extra each net 8.00

No. 1½ Cash hole with shelf, each net.....3.00

COUNTER AND DESK RAILINGS




No. 10-G—Desk or Counter Railing

Attractive but inexpensive construction, made from round wire woven in square mesh openings with steel channel frames forming the frame work. Can be supplied with or without pickets along top and is usually finished in lustreless black. Olive green finish at small extra charge.

24 inches high to 42 inches high, per sq. ft.....	\$ 1.25
No. 172 Tellers Wicket 18 inches wide.....	16.00
Ornamental Arch, extra net.....	5.00
Posts at corners and wickets, each net.....	1.50

No. 1½ Cash hole with shelf, each net.....	\$3.00
No. 2½ Cash hole, each net.....	2.00
Pickets along top extra, per lineal foot.....	.35




No. 114-B—Desk or Counter Railing

Constructed of flat steel wire, interwoven in square mesh, all material polished and finished lustreless Black process.

24 inches high and upward, price per sq ft.....	\$ 1.75
Ogee ends complete, extra, each net.....	3.50
Tellers wickets, extra, each net.....	27.00


Hinges and locks for wicket, extra, each net.....	\$4.00
Double channel uprights, each net.....	4.00
Electroplate process finish, per sq. ft., extra net.....	.75



No. 101-C—Bank and Office Railing

36 inches high or less, per square foot.....	Dead Black Finish \$4.00	Plated Finish \$ 4.75
Wicket with hinges and lock.....		25.00
Name plate, extra net.....		5.00
Cash opening and basket, extra net.....		9.00

Usual construction, ¾-inch round steel bars, 2½ inches on centers with special steel moulding on top for ornamentation. Square uprights, costing extra, can be furnished if preferred.



No. 99-C—Bank and Office Railing


Usually made with ¾-inch square uprights 1¾ inches apart. Railing has neat steel moulding for ornamentation on top.

36 inches high, per square foot.....	\$ 4.75
Stationary wicket with name plate.....	25.00


Dead Black Finish	\$ 4.75
Electroplated Any Desired Finish	\$ 5.50

Electroplated Any Desired Finish	\$ 5.50
Plated Finish	30.00


BANK AND OFFICE RAILINGS



No. 116—Bank and Office Railing




No. 118—Bank and Office Railing



No. 94-C—Bank and Office Railing

Material of polished steel with standards of double channel construction. Hand wrought scrolls and cast bronze name-plate.


		Dead Black finish	Electro plated process
36 inches high.....	Per sq. ft.	\$ 6.00	\$ 7.00
Stationary wicket with nameplate.....		35.00	40.00
Scroll ornament	extra net	4.00	4.00




No. 95-B—Bank and Office Railing

		Dead Black finish	Electro plated process
36 inches high.....	per sq. ft.	\$ 7.00	\$ 8.00
Stationary wicket		35.00	40.00
Ornament and nameplate.....	extra net	8.00	8.00


BANK AND OFFICE RAILINGS




No. 98—Bank and Office Railing



No. 97—Bank and Office Railing



No. 91—Bank and Office Railing



No. 93—Bank and Office Railing

These illustrations show the most modern designs in Bank Railing Construction. These are usually made 36 inches high to top of rail and to suit any shape of counter.

The use of marble for Bank counter work is now universal and such material calls for a counter screen more substantial and massive in appearance than has been customary for wood counters. The counter screens shown above are especially suitable where a heavy ornamental design is desired. Polished steel finish in statuary bronze or verde antique process and genuine bronze material are the accepted kinds, the latter being the most expensive, but like the marble counter of which it forms a part, will last for ages. This work is handled and executed in a special department and you can find Bank fixtures of our execution by the hundreds in every state in the Union.

Let us submit specifications and proposals.

We are glad to send sketches and illustrations of special designs.

TELLER WICKETS

Electroplate Process Finish on Polished Steel Material


THE SIZES SPECIFIED BELOW ARE THOSE MOST IN DEMAND, BUT WE CAN FURNISH ANY DESIGN FOR ANY SIZE OPENING. A slight variation of an inch or so does not usually affect the price. Send for illustrations of special designs.

All prices are for electroplated finish on polished steel material. Genuine brass and bronze material furnished at special prices; any design with lock and hinges costing \$4.00 extra.




No. 184—Wicket

Each
18 in. wide by 27 in. high\$23.00
24 in. wide by 30 in. high 28.00




No. 174—Wicket

Each
18 in. wide by 27 in. high\$36.00
24 in. wide by 30 in. high 48.00



No. 176-B—Wicket

Each
18 in. wide by 27 in. high\$40.00
24 in. wide by 30 in. high 50.00




No. 165-C—Wicket

Each
24 in. wide by 30 in. high\$60.00




No. 186—Wicket

Each
18 in. wide by 27 in. high\$34.00
24 in. wide by 30 in. high 46.00



No. 150-F—Wicket

Each
18 in. wide by 27 in. high\$30.00
24 in. wide by 30 in. high 38.00



No. 178—Wicket

Each
18 in. wide by 27 in. high\$33.00
24 in. wide by 30 in. high 44.00




No. 162-E—Wicket

Each
18 in. wide by 27 in. high\$30.00
24 in. wide by 30 in. high 38.00



No. 175-B—Wicket

Each
18 in. wide by 27 in. high\$16.00
24 in. wide by 30 in. high 23.00



No. 182-B—Wicket

Each
18 in. wide by 27 in. high\$30.00
24 in. wide by 30 in. high 39.00



No. 168-D—Wicket

Each
18 in. wide by 27 in. high\$27.00
24 in. wide by 30 in. high 36.00




No. 172-B—Wicket

Each
18 in. wide by 27 in. high\$18.00
24 in. wide by 30 in. high 25.00




No. 220—Metal Panel with Wicket

A handsome design, made in order to fit a variety of dimensions and finished in electroplate process to suit different types of wood-work.



No. 154-D—Wicket

Each
18 in. wide by 27 in. high\$11.00
24 in. wide by 30 in. high 16.00



No. 164-C—Wicket


Each
18 in. wide by 27 in. high\$ 9.00
24 in. wide by 30 in. high 12.00

METAL GRILLES

Steel, brass or bronze material and any finish. Send memorandum of dimensions or sizes of openings and let us submit special prices.



No. 153—Metal Grille




No. 155—Metal Grille




No. 154—Metal Grille



No. 156—Metal Grille




No. 160—Metal Grille




No. 116-C—Metal Panel. (Plated finish)

Per sq. ft.
 $1\frac{1}{2}$ -inch mesh, $\frac{5}{16}$ -inch flat wire..\$3.25
 $1\frac{3}{4}$ -inch mesh, $\frac{5}{16}$ -inch flat wire.. 3.00



No. 92-D—Metal Panel. (Plated finish)

Per sq. ft.
 $1\frac{1}{2}$ -inch mesh, $\frac{5}{16}$ -inch flat wire..\$2.00
 $1\frac{1}{2}$ -inch mesh, $\frac{1}{4}$ -inch flat wire.. 1.80
 $1\frac{1}{4}$ -inch mesh, $\frac{5}{16}$ -inch flat wire.. 1.60




No. 200-B—Metal Panel. (Plated finish)


Flat wire, double strand, large openings. $1\frac{1}{4}$ -inch mesh, $\frac{5}{16}$ -inch wire, square foot\$2.50

Single Panels Containing Less Than Ten Square Feet Are Figured As Ten Square Feet


VENTILATING PANELS




No. 230—Ventilating Panel



No. 231—Ventilating Panel



No. 232—Ventilating Panel




No. 235—Ventilating Panel

Made of steel material with very smooth surface, these grille panels are the most improved types for use in radiator housing, window seats, wall openings, bulkheads, etc.


SIZE, SHAPE, DESIGN AND FINISH MAY BE VARIED TO SUIT THE PURPOSE FOR WHICH THESE PANELS ARE TO BE USED.

When writing for prices, please give approximate or exact dimensions and specify finish desired.




No. 200—Ventilating Panel

For Schools, Residences and Public Buildings; can be made with flat or round wire and large or small mesh. Painted or electroplate finish.



No. 205—Wrought Steel Hinged Ventilating Panel

For use on window seats and similar places where radiators are enclosed. Can be made any size, with or without angle frame. Send dimensions of openings for net price. Usually finished to match hardware in room.




No. 207—Ventilating Panel

Ventilator panels for heating systems—we can furnish in any specifications or quantity, and with special devices for fastening.


Send list of sizes for prices.

METAL PARTITIONS FOR INDUSTRIAL USE




No. 180—Partition

Steel wire interwoven and secured to steel channel frames makes the most substantial and effective partition for the modern factory. This is the same type and construction used by all motor car factories and steel plants. Furnished to suit any conditions or purpose. Doors may hinge or slide. Openings with steel shelves for passage of stock or tools are sometimes necessary. Costs less than wood partition and permits passage of light and air and will not burn.



No. 188—Partition


With sliding and self-closing entrance door, combined drop door and shelf for passage of stock. Supplied in standard size panels or sections and erected without special tools or expert knowledge.



No. 171—Partition

Made in sections or panels with lower portion of steel plate thus partially hiding the room contents. For dividing department enclosing stock or tool rooms, for storage, warehouses, depot or summer resort use, this construction is the most economical, admitting light and air but providing secure protection. The pickets are sharp pointed and set about 5 inches or 6 inches on centers. The more clearly we understand the full nature of your wants, the better able are we to make suggestions and the closer we can figure the exact cost. Give us complete information regarding the purpose for which the work is intended, together with the rough floor plan showing size and shape, location of doors, cash holes, etc.


METAL PARTITIONS FOR COMMERCIAL USE



**No. 177-B—Post Office
Partition and
Wickets**

Made of round steel wire, double crimped and interwoven in diamond mesh with steel channel frame as required by U. S. Government. Any height not less than 24 in. high..
.....per sq. ft. \$0.50

**Parcel Post Parti-
tions and General
Post Office Work.
Write for our sug-
gestions.**



No. 160-G—Partition Railing

FOR DIVIDING STOCK ROOMS, STORE ROOMS, DEPARTMENTS IN LARGE OFFICES, ETC.

Made of heavy crimped and interwoven round wire, secured in channel frames with flanges to screw to floor. It is usually made 6 to 8 feet high, and is set about 3 to 4 inches from floor. It can be made in any shape to fit angles, curves and projections, and is very easily put up. Cash Holes with baskets or shelves can be put in if desired, costing extra. Usually finished in lusterless black and pickets may be relieved with gold bronze if desired, without extra charge. Can be furnished with self-closing sliding door, hung with anti-friction roller-bearing hangers and safety spring lock at net, extra.....\$18.00


Any height, not less than 4 ft. 6 in.....per square foot \$0.60
Pickets on top, net.....per running foot .20

Safety Night Lock, Hinges and extra work on door, Lock
Guard, net\$14.00
Cash Hole and Wood Shelf, extra, net..... 5.50


**No. 178-B—
Partition
Railing**

Used for the same purpose as the No. 171 partition but has a more ornamental appearance at a very little increase in the total expense. The flat steel wire will afford equal protection with the round wire in diamond mesh construction and the steel channel framing is of the heaviest type suitable for partitions.

A simple floor plan of your requirements will suffice to get our net prices and suggestions.




METAL PARTITIONS, SANITARY, SECURE, FIRE-PROOF



No. 185—Stock Room Partition

This type of partition is standard for the protection of any kind of raw material; can be supplied in sections of uniform size so as to be easily placed in any department of industry. Send us a simple sketch of your requirements and we will submit proposal with suggestions and ideas. Doors, pass openings, shelves and exits arranged to suit your particular purposes. Usually finished in black.




No. 161-C—Partition Railing

This illustration shows a Partition made to suit the purposes of an office in a room devoted to manufacturing. Center stiffening rail and posts of double channels with floor flanges and ornamental pickets. Sliding or swinging doors with Yale spring lock or dead lock as preferred. Bottom rail is set up from floor about 4 inches to permit cleaning. Ornamental wicket may be used in cash hole with wood, glass or steel plate shelf. When writing for prices kindly send a sketch showing floor plan with measurements, location of doors and general description.

Made of heavy crimped and interwoven round wires, secured in channel frames with flanges to screw to floor. It is usually made 6 to 8 feet high, and is set about 3 to 4 inches from floor. It can be made in any shape to fit angles, curves and projections, and is very easily put up. Can be furnished with self-closing sliding door, hung with anti-friction roller bearing hangers and safety spring lock, at net, extra, \$18.00.

Any height, not less than 4 feet 6 inches, per square foot.....	\$ 0.60
Name Plate, on door, raised letters, net, each.....	6.50
Safety Night Lock, Hinges and extra work on door, Lock Guard, net.....	14.00
Cash Hole and Wood Shelf, extra, net.....	5.50
No. 21½ Cash Hole, as shown here, extra, net.....	3.00

FLOOR RAILINGS




No. 155-C—Floor Railing

30 or 36 inches high, as illustrated, per square foot.....\$0.85

Railings less than 7 feet long, exclusive of gate, will be charged as 7 feet long.

Gate as illustrated, \$7.50 EXTRA.

Heavy double crimped steel wire is interwoven to form the diamond mesh and securely held in channel frames, double channels forming square posts at all corners and ends. Neatly painted and relieved with bronze, if so ordered.




No. 157-B—Tubular Floor Railing

A particularly attractive design and construction. Panels constructed of flat steel wire secured in channel frames. Tubular rails and uprights may be polished brass or lusterless black tubing.

Usual standard height 42 inches. Railings less than 7 feet long, exclusive of gate, will be charged as 7 feet long.

TELLER CAGES, BANK AND VAULT PARTITION




No. 190—Cashier's Cage


Supplied in groups or single cages and to suit all conditions.




No. 175-B—Partition




No. 163-C—Partition




No. 167-C—Partition



No. 176-B—Partition



No. 272—Vault Partition




No. 274—Vault Partition

For the dividing of safety deposit boxes from that portion of the vault occupied by the Bank itself, we usually supply the wrought partitions illustrated above.

Furnished in any height or length with sliding or hinging entrance door and equipped with the usual precautionary locking devices, etc. Finished in gray or green or to match vault furniture. Special net prices quoted on receipt of measurements and particulars.


DOORS AND GATES FOR OFFICES AND STORES

Constructed to order only and furnished to suit all conditions. Wrought iron or heavy wire doors supply the maximum ventilation and provide an efficient barrier to the intruder. For outside use, black paint finish is the most satisfactory. For interior use we supply other finishes. Spring hinges and special locks or other equipment may be added as required. We prefer to quote special net prices upon receipt of full particulars.




No. 55—Wrought Steel Gate

Can be furnished with square or round pickets and to fit any size opening or conditions. We can supply necessary wrought anchors for hinges and stops. Usually equipped with padlock but mortise or rim lock with dead or spring bolt may be supplied.



No. 723-C—Steel Picket Gates


Price per square foot, made with $\frac{5}{8}$ -in. round uprights...\$2.50
Extra work on hinges, bolts, hasp, etc., net..... 6.00
These gates are made extra heavy and provide a secure protection for any kind of entrance. The expense for this protection is far less than the cost of burglary insurance, and many insurance companies require the installation of steel gates.



No. 144-C—Heavy Wire Door

Suitable for rear entrance or office protection of any kind.

Any height not less than 4 feet 6 inches, per square foot\$1.25
Trimmings for door, with lock extra, net....\$16.00




No. 139-D—Wire Gates

Price, per square foot...\$1.25
Spike pickets on top, per foot, net 50

Extra work on hinges, hanging bars, locks, etc., net\$16.00


Can be made single or double and arranged to slide if desired.

PROTECTION GUARDS FOR DOORS



No. 158—Door Guard

Designed to prevent breakage of glass, where usage of entrance is especially severe. Can be furnished in any size and arranged with different types of fastening to suit conditions. Illustration shows fabric of flat wire but can be furnished in round wire at less expense.




No. 153—Door Guard


A secure protection for alley or side doors. The channel frame holding the wire fabric is reinforced with an angle, which later acts as a cover bar and fastening. This guard is usually secured to door with bolts, making it impossible to remove the guard from outside.

PUSH BARS


Sometimes termed door guards. Supplied in polished brass or bronze. Sizes to suit all widths of doors. Many other designs. Send for pictures.




No. 30-B—Push Bar




No. 32-B—Push Bar




No. 33-B—Push Bar




No. 35-B—Push Bar




No. 37-B—Push Bar



No. 21-C—Ticket Office Rail



No. 19-C—Ticket Office Rail




No. 18-C—Ticket Office Rail




No. 11-D—Ticket Office Rail

Ticket Office Rails for Theatre Lobbies, Banks, Postoffices, etc. Usually furnished in two and three inches diameter brass tubing, the price depending on the length of rail and size of tubing. The No. 21 Rail is arranged to set in reinforced sockets and can be removed whenever desired, the sockets being filled temporarily with brass plugs.




No. 44—Swimming Pool Ladder

Made of Brass or Bronze material and polished finish. The standard width is 22-inch and height is arranged to suit conditions. Illustration shows checkered treads but we can furnish smooth flat or round tubular treads as may be preferred. The tubing for side rails is 2 inches outside diameter with heavy flanges for severe service. Equipped complete with bolts and screws for erecting. Price depends on size required.



No. 10-B—Brass Slide Pole


For fire department stations and municipal buildings. Made of heavy brass tubing having $\frac{1}{8}$ -inch thick walls or may be reinforced with steel lining.
 2 $\frac{1}{2}$ -inch diameter tubing $\frac{1}{8}$ -inch thick, per foot.....\$ 4.00
 3-inch diameter tubing $\frac{1}{8}$ -inch thick, per foot..... 4.50
 Extra heavy floor and ceiling flanges, each 4.50
 Ball ornament at top..... 6.00
 Wall brace, genuine brass.. 10.00
 Wall brace, steel material, brass finish 6.00



No. 15-C—Brass Guard Railing No. 14-C—Brass Guard Railing




No. 374-C—Brass Floor Rail with Gate
Polished and lacquered. Usually made from 30 to 36 in. high.



No. 1-F—Polished Brass Box and Gallery Rail
Curved sections cost extra. Send plan for net prices.



No. 23-C—Polished Brass Hand Rail
For Stairways



No. 16-C—Polished Brass Stair Railing

Prices for Brass Railings (Excepting Ladder and Slide Pole)

1 $\frac{1}{4}$ in. diameter tubing.....	per lineal foot, \$2.35
1 $\frac{1}{2}$ in. diameter tubing.....	per lineal foot 2.50
2 in. diameter tubing.....	per lineal foot, 3.10

TEES, ELLS, CROSSES, BALL ORNAMENTS, FLANGES


For 1 $\frac{1}{4}$ in. diameter tubing	\$2.50 each	\$1.85 each
For 1 $\frac{1}{2}$ in. diameter tubing.....	3.00 each	2.25 each
For 2 in. diameter tubing.....	4.50 each	3.00 each

Bends and curves extra at actual cost.

CANOPIES AND MARQUISE


In Galvanized Sheet Metal, Sheet Copper, Wrought Iron or Cast Iron

The following pages illustrate canopy, marquee and portico designs for entrance protection and ornamentation. Suitable for every kind of building. Details of design and construction, kind of material, equipment and finish may be varied so as to obtain a distinctly original effect.




No. 99—Canopy

The distinction attained by the use of a canopy or marquee provides an advantage not otherwise obtainable.




No. 90—Canopy

Polished plate glass pendants reflect and magnify the light bulbs producing a brilliant effect. Gold leaf letters may be provided.




No. 97—Canopy

The pedimented center and heavy overhanging cornice in this design usually requires a wide entrance. Our reinforced frame work combines safety and economy.




No. 71—Canopy

Offering features in ornamentation which are exceptionally pleasing. The center name panel is leaded cathedral glass and the corner lamps, together with the wall brackets, all serve to make this a most attractive piece of work.



No. 93—Canopy

This entire apron of glass held within a heavy metal frame, permits a sign and lettering space not obtainable with the individual pendant construction.




No. 102—Canopy

A special design and construction developed by us to suit the architecture of building. Supplied for the First National Bank Building, Albuquerque, New Mexico.

Send for our Canopy and Marquee Catalogue No. 759


CANOPIES AND MARQUISE

BEAUTIFY THE ENTRANCE AND ATTRACT MORE TRADE




No. 91—Canopy

The advertisement derived from a high grade canopy makes them essential to theatres, hotels and other buildings of a public nature.




No. 85—Canopy

Designed to apply to restrictive conditions at building so as to obtain the maximum amount of light through transom. The shield may be larger and can carry monogram in gold leaf.




No. 153—Canopy

Adaptable for wide or narrow entrance.




No. 150—Canopy

Original designs not illustrated here will be submitted on receipt of particulars.
Our catalog No. 759 covering all phases of Canopy and Marquise work will interest you.




No. 70—Canopy

A neat, yet comparatively inexpensive design, suitable for any purpose, and made for service.




No. 94—Canopy

A more massive appearing type of canopy. Glass pendants as shown are usually lettered in gold leaf, indicating the name or nature of business. Electrical effects can be installed by your local electrician, as you may prefer.



No. 127—Canopy



No. 141—Canopy

SPLENDID RESULTS ATTAINABLE ON NEW AND OLD BUILDINGS



Rockbridge Theatre, Buena Vista, Va.



Chestnut St. Building, Abilene, Texas




Robinhood Theatre, Dowagiac, Mich.



Pastime Amusement Co., Oil City, Pa.



Hotel Clifton, Niagara Falls, N. Y.



Dodge Motor Sales, Muskegon, Mich.



The Fowler Building, Centralia, Ill.

THIS UNSOLICITED TESTIMONIAL

E. T. Barnum Iron & Wire Works.

Gentlemen: We are taking this opportunity to let you know what we think about the Marquise that we have finished just yesterday and put up on our FOWLER BUILDING. We think without question this Marquise, which is 80 feet long, surpasses anything that we have in this city, both as to the ornamental feature in design and sturdiness of construction.

We also found by the careful layout that your representative made while in our city that the entire construction fitted to the building perfectly. We are indeed pleased with the manner in which you have served us and shall not hesitate to recommend your firm, in the event that any future work or inquiries may come to us.

Yours truly, FOWLER BROTHERS.




San Juan Stadium, San Juan, P. R.




Berry Building, Hammond, Ind.

CANOPY AND MARQUISE




No. 101—Canopy


Sketched from photograph of actual work. This marquise and all its embellishments furnished and erected by us on one of Detroit's finest apartment hotels.




No. 115—Canopy




No. 98—Canopy



No. 180—Design for Entrance Railing and Marquise



No. 89—Canopy



No. 92—Canopy

Our Complete
Canopy Cata-
log Illustrates
Other Designs
and Carries
Photographs
of Actual
Installations

E. T. Barnum Iron & Wire Wks.

Gentlemen:

We want to thank you for the service rendered us in your layout and suggestions for marquise for Broad & Larkin Theatre. Everything fitted perfectly and the design adapts itself as if a part of the original building and is way ahead of anything of the kind in this city.


We are more than pleased with your service and take pleasure in recommending your firm to anyone wanting good work.

H. L. Loudonback & Sons, Archts.


Sidney, Ohio.

CANOPIES


UNUSUAL PUBLICITY IS ACHIEVED BY PLACING THE RIGHT CANOPY OVER YOUR ENTRANCE




No. 148—Canopy




No. 156—Canopy




No. 117—Canopy




No. 124—Canopy



No. 139—Canopy



No. 133—Canopy



No. 152—Canopy



No. 192—Canopy


FIRE PROOF VAULT DOORS



No. 60-D—Wrought Steel Vault Doors
Closed View

Price\$200.00

This door requires a wall opening 30 inches wide by 80 inches high and 16 inches deep, thus giving a clear entrance way through door 26 inches wide and 76 inches high. Outside door is hung on two steel pin hinges, locks at eight points and swings to the right as you face the vault unless ordered otherwise. Double inside doors are held by vertical bolts and checked with key lock. Outside door equipped with four tumbler combination lock. All bolt work, handles, dials, etc., heavily nickel plated.




No. 60-D—Wrought Steel Vault Doors
Open View



No. 50-G—Wrought Steel Vault Doors
View Showing Vestibule

Approximate weight, 600 pounds. Price.....\$250.00

Opening in wall to take in these vault doors should be 32 inches wide, 76 inches high, and thickness of wall 20 inches. Clear opening in doorway after vault door is placed in position is 72 inches high and 28 inches wide. Inside doors strongly constructed and paneled, with up and down bolts and fitted with our flat key lock and duplicate keys. Generally finished in black and gold.



No. 50-G—Wrought Steel Vault Doors
Closed View



No. 66-C—Wrought Steel Vault Doors


Approximate weight, 700 pounds.

Price\$330.00

This door requires an opening in the wall 32 inches wide by 77 inches high with a wall thickness of either 18 or 20 inches. Clear opening in doorway 28 inches wide by 74 inches high. Inside doors of steel plate construction (not paneled). Outside door fitted with up and down bolts and all controlled by flat key lock.

These doors are usually finished in black and gold. Dimensions other than standard can be supplied at special quotations.

When ordering please state whether you wish outside door to hinge and swing as shown above or opposite.



No. 51-G—Wrought Steel Vault Doors

Approximate weight, 700 pounds.

Price\$320.00

Outside door swings on two heavy hinges, and is fitted with our best four-tumbler Combination Lock. Five round bolts, three working forward and backward, one up and one down, through a heavy wrought iron angle frame, which is securely riveted (not screwed) all the way round to door plate.

These doors require an opening in wall 32 inches wide by 77 inches high and 20 inches thick, thus allowing a clear opening in doorway of 28 inches wide by 74 inches high.



No. 58-D—Wrought Steel Vault Doors

Approximate weight, 1,200 pounds.

Price\$400.00

Opening in wall to take in this vault door should be 35 inches wide, 80 inches high, and thickness of wall 20 inches.

Clear opening in doorway after vault is placed in position is 76 inches high and 31 inches wide.

Outside door made of ¼-inch Bessemer steel plate and 3½-inch bolt frame, making it measure ¾-inch thick. There is provided heavy bolt work consisting of twelve 1-inch bolts of polished steel working four forward and backward, two up and two down, all operating through 2-inch by 1-inch bolt bars. All bolt work controlled by drop handle and guarded by our best four-tumbler Combination Lock.

Inside doors built extra heavy, paneled, with up and down bolts and fitted with our best flat key lock.

Door frame panels have ornamental mouldings finished in gunmetal and studded with brass buttons.

Steel doors for every industrial and commercial purpose. Please send particulars and we will work out your problem.

WIRE BASKETS FOR EVERY PURPOSE


Any Shape or Specification

All Metals and Finishes




No. 30—Dipping Basket

Reinforced to carry heavy loads of metal parts.




No. 25—Utility Basket


A permanent and sanitary container for shop waste or lunch litter.



No. 23—Tote Basket




No. 21—Canning or Dipping Basket




No. 35—Locker Basket

Heavily coated with tin; entirely rustproof and sanitary. Provided with or without padlock attachment, handles or number plates. Customary or standard size 9x13x7½ inches high. Other sizes made to order.




No. 17-F—Waste Paper Basket

For Parks and Cemeteries. A receptacle for rubbish of all kinds.




No. 33—Crimped Wire Interwoven




No. 44—Straight Wire Welded
REFRIGERATOR SHELVES

Supplied in plain or retinned finish, standard and special sizes, straight or with any form of bend and cutout.



No. 170—Electric Light Guard




No. 172—Electric Light Guard


For the protection of lighting bulbs and fixtures in gymnasiums, basketball alleys or indoor playgrounds. Finished in bright tin to reflect light. Made to order to suit any conditions. Send description of fixture and quantity and we will quote net prices.

MACHINERY GUARDS


SWITCHBOARD ENCLOSURE




No. 11—Machinery Guard



No. 17—Machinery Guard




No. 13—Machinery Guard



No. 181—Switchboard Enclosure

Illustrating a standard type of enclosure, ready for installation in Hotels, Theatres, Hospitals, etc. These enclosures are now necessary to prevent tampering with switches and avoiding danger. Entrance doors may slide or hinge depending on amount of room required. Any size or height furnished complete with necessary expansion bolts for erecting securely.



No. 11-E—Box Stall Enclosure


To correspond with No. 16-C Stall Guard

Price per square foot...\$1.00

In ordering or writing for prices on the above Box Stall Guard, state if top is exposed or fastens to woodwork.

No guard figured less than five square feet

This style of enclosure is sometimes preferred to the meshwork. We prefer to quote net prices on all work in this line. Send us a memorandum of just what you want.



No. 1-C—Box Stall Wire Work

To match No. 10-B Stall Guard

Price per square foot...\$0.75


No guard figured less than five square feet

Made of heavy steel wire, crimped and interwoven and secured in a steel channel frame.

In ordering or writing for prices, state if top is exposed or fastens to woodwork.

Send memorandum of sizes for special prices.

STABLE FIXTURES




No. 16-C—Wrought Steel Stall Guard, with Sheet Iron Panel in End

Length	Height	Painted, Each	Length	Height	Painted, Each
6½ feet,	25 inches...	\$21.00	8 feet,	25 inches...	\$25.50
7 feet,	25 inches...	22.50	8½ feet,	25 inches...	27.00
7½ feet,	25 inches...	24.00	9 feet,	25 inches...	28.50

Illustration shows small end flat to fit against stall post. Can be made with sloping end shown in No. 10-B style to form a finish where it does not abut the stall post at same time.

Box Stall Work to match, per square foot.....\$1.50

This Guard can be made without panel in end, listing \$2.00 less




No. 10-B—Heavy Wire Stall Guard, with Channel Steel Frame

Length	Height	Painted, Each	Length	Height	Painted, Each
6½ feet,	25 inches...	\$ 9.75	8 feet,	25 inches...	\$12.00
7 feet,	25 inches...	10.50	8½ feet,	25 inches...	12.75
7½ feet,	25 inches...	11.25	9 feet,	25 inches...	13.50

Box Stall Work to match, per square foot.....\$0.75


Being made of heavy steel wire with wrought steel frame, they are more durable than cast iron and not liable to be broken and injure the horses.

The Box Stall Work is usually made the same style of work and height as the Stall Partitions, with or without food doors, as may be required. Special prices quoted on application.



No. 89-B—Hay Rack
(Wrought Iron)

Price, painted, each.....\$7.50




No. 14½-D—Improved Oat Manger

(With food flange)

Price, japanned, each.....\$6.40

VENT GRATES, ASH DOORS COAL HOLE COVERS




Ash Pit or Flue Doors

Door, 7x9, japanned, per doz.....	\$24.00
Door, 10x12, japanned, per doz.....	32.00
Door, 12x15, japanned, per doz.....	52.00
Door, 16x20, japanned, per doz.....	96.00


Made with improved box flanges to build in wall.

Also special sizes. Send particulars of what you require.



No. 6—Vent Grates


Size 6 in. high x 8 in. long, each.....	\$0.86
Size 6 in. high x 12 in. long, each.....	1.22
Size 7 in. high x 14 in. long, each.....	1.60
Size 8 in. high x 8 in. long, each.....	1.24
Size 8 in. high x 10 in. long, each.....	1.40
Size 8 in. high x 12 in. long, each.....	1.58
Size 8 in. high x 16 in. long, each.....	1.76
Size 10 in. high x 12 in. long, each.....	1.76
Size 12 in. high x 12 in. long, each.....	2.10
Size 12 in. high x 14 in. long, each.....	2.44
Size 12 in. high x 18 in. long, each.....	2.64
Size 12 in. high x 24 in. long, each.....	3.50



Improved Coal Chute

	Door Width, Ht.	Frame Width, Ht.	Price Without Hopper
No. 13-B	22x16	25x19	\$22.00
No. 14-B	30x20	35x24	40.00
Glass door, extra.....			3.00
Hopper door, extra.....			3.00
Chain attachments, extra.....			1.00

The best chute on the market for depositing coal, wood or vegetables into the cellar. The lid lays against the building when open, preventing damage to the building and keeping it clean. When door closes it locks automatically and can be opened only from the inside. Can be furnished with glass in door to permit light to enter and hopper may be omitted if not required. The chute is well painted.



No. 20-J—Coal Hole and Illuminating Cover

Cover and thimble as shown.	
16-in. diameter	\$24.00
18-in. diameter	27.00
20-in. diameter	32.00
24-in. diameter	38.00




No. 25-C—Cast Iron Coal Hole Rim with Solid Cover

16-in. opening, each....	\$10.00
18-in. opening, each....	12.50
20-in. opening, each....	15.80
24-in. opening, each....	20.00
30-in. opening, each....	31.20


FLAGSTAFFS AND ORNAMENTS

WHEEL GUARDS




No. 32-B—Iron Wheel Guard

18 in. high x 8 in. x 8 in. insd..\$13.00



No. 28-C—Iron Wheel Guard

34 in. high x 8 in. x 8 in. insd..\$24.00
34 in. high x 10 in. x 10 in. insd.. 28.00



Eagle and Ball Ornaments


For Steel or Wood Flag Poles

Copper Eagle Gilded,
With Pure Gold Leaf
and Fitted With Iron
Stem for Mounting on
Flag Pole.

No.		
325-D,	12 in. sprd..	\$30.00
326-D,	15 in. sprd..	33.00
328-D,	18 in. sprd..	40.00
330-D,	24 in. sprd..	54.00
332-D,	30 in. sprd..	77.00
333-D,	36 in. sprd..	96.00
335-D,	48 in. sprd..	150.00

Copper Ball Gilded,
With Pure Gold Leaf
and Fitted With Iron
Stem for Mounting on
Flag Pole.

No.		
94-D,	6 in. dia..	\$ 8.00
94½-D,	7 in. dia..	11.00
95-D,	8 in. dia..	14.00
161-D,	9 in. dia..	19.00
96-D,	10 in. dia..	27.00
97-D,	12 in. dia..	32.00



Indian Arrow Vane

Mounted complete with
Spire, Letters and Balls as
illustrated.


No.		Complete
25-D,	12 in. long.....	\$16.00
24-D,	15 in. long.....	21.00
23-D,	18 in. long.....	24.00
22-D,	24 in. long.....	29.00
21-D,	30 in. long.....	32.00
20-D,	36 in. long.....	41.00
19-D,	42 in. long.....	51.00
18-D,	4 feet long....	57.00
384-D,	4½ feet long....	67.00
17-D,	5 feet long....	80.00
372-D,	6 feet long....	124.00




Prize Rooster Vane

Let us send you the
Weather Vane Folder
showing Complete Line.

**No. 59—
Steel Flagstaff**



**No. 58—
Steel Flagstaff**



No. 57—Flagstaff

For use on Town Halls, Hotels, Theatres, and other public buildings. Furnished in any height and fitted complete with special bracket and wall straps to suit conditions and the architecture of buildings. These steel flagstaffs are now in general use throughout the country and architects are specifying them for practically all business buildings.

Hayesville, Ohio.
E. T. Barnum.

The 60 foot flag staff you shipped me last August, is a beauty and perfect in every way. One of these should adorn every public square and homestead.

Respectfully,
REV. J. F. BRANT.

ROOF CRESTING



Per lineal ft.
No. 40-E—Cresting, 18 in. high.....\$1.50
No. 40-E—Cresting, 24 in high..... 2.00




No. 80-B—Wrought Iron Cresting

Per lineal ft.
No. 80-B—Cresting, 18 in. high.....\$5.50
No. 80-B—Cresting, 24 in. high..... 6.00
No. 80-B—Cresting, 30 in. high..... 6.50

STEEL WIRE SIGNS

Are the most conspicuous and permanent advertisement for all commercial purposes

NO MAINTENANCE EXPENSE



No. 103—Wire Sign

An inexpensive but permanent advertisement. Intended to stand on the roof of one- or two-story building. Letters in black or colored as preferred. Especially effective with a sky background.



No. 92-B—Wire Sign, With Raised Wood Letters

Letters made of white pine wood, covered with pure gold leaf. Mounted on wire mesh and set against face of building provides a most effective advertisement. All sizes and any lettering.



No. 83—Wire Sign

A Sign of this design made 100 to 300 feet long can be read at a very great distance and the wind stress, being about one third of that on the solid wooden sign permits of erection on any type of roof at the lowest expense.



No. 107—Sign for Theatres, Etc.

This sign is suitable for the top of low Theater Buildings, or it can be made to go over the entrance to Moving Picture Shows.

The ornamental scrolls can be omitted if something plainer or costing less is desired.



No. 115—Wire Sign

Black letters against sky background can be read from greater distance than any other combination.







No. 109—Wire Sign

Steel Wire Signs are practically indestructible—will resist a higher velocity of wind because of open work construction—can be made rust-proof and everlasting.

WIRE CLOTH IN ALL METALS

Steel, Brass, Copper, Bronze, Galvanized, Tinned, Monel, Aluminum and All Other Metals.



Regular Coal Screen Grade Steel Wire Cloth

	Per sq. ft.
2½ inch OPENING, No. 000 Wire....	75c
2 inch OPENING, No. 00 Wire....	75c
1¾ inch OPENING, No. 0 Wire....	75c
1½ inch OPENING, No. 1 Wire....	75c
1¼ inch OPENING, No. 2 Wire....	70c
1 inch OPENING, No. 4 Wire....	60c
¾ inch OPENING, No. 6 Wire....	55c
⅝ inch OPENING, No. 8 Wire....	50c
½ inch OPENING, No. 10 Wire....	40c
⅜ inch OPENING, No. 11 Wire....	40c
¼ inch OPENING, No. 13 Wire....	38c

Special meshes made to order. We make all kinds of heavy Wire Cloth for mines and special purposes.

Spark Arrestor—Heavy Sand and Gravel Screen Grade





No. Meshes to the inch	No. of wire	Price per sq. ft. in rolls of 100 ft. in length
2 x 2	11	40c
3 x 3	12	45c
3 x 3	13	38c
3½ x 3½	12	55c
3½ x 3½	13	45c
4 x 4	14	45c
5 x 5	15	50c
6 x 6	16	50c
8 x 8	18	50c
10 x 10	20	50c
¼ x ¼ in. opening...	12	45c

Standard Market Grade Brass and Copper Wire Cloth

Mesh	No. Per Sq. Wire Foot	Mesh	No. Per Sq. Wire Foot
2.....	16... 68c	22.....	29... 60c
3.....	17... 70c	24.....	30... 65c
4.....	18... 70c	30.....	31... 70c
5.....	19... 70c	35.....	32... 70c
6.....	20... 70c	40.....	33... 70c
8.....	22... 65c	45.....	34... 85c
10.....	23... 65c	50.....	35... 85c
12.....	24... 65c	60.....	36... 85c
14.....	25... 65c	70.....	37... 1.00
16.....	26... 65c	80.....	38... 1.75
18.....	27... 60c	90.....	39... 1.50
20.....	28... 60c	100.....	40... 1.75




All Wire Cloth Excepting, Coarse Grades Heavy Wire, Is Woven in Rolls Widths Varying, Coarse Grades in Flat Pieces Cut to Length and Width.

SPECIAL SCREENS with Frames of any kind Made to Order. Send Us Samples and Specifications of What You Are Now Using; We Can Duplicate.



	Delaware	Herrick	Iowa	Kansas City	Hingham	Browns Valley	Axtell	Highbridge	Tonawanda	Put-in-Bay	Greenville	Castletown	Grandview
	Albertville	Delmar	Highland Park	Ackley	Kensington	Marion	Ceylon	Highstown	Troy	Rock Creek	Grove City	Clark	Hogiam
	Auburn	Laurel	Hopedale	Adair	Louisburg	Marshfield	Chokio	Junction	Trumansburg	Roseville	Harmony	Colman	Inox
	Bessemer		Indianola	Albert City	McCracken	Mattapoisett	Clarkfield	Kenilworth	Tupper Lake	Rutland	Healdton	Colome	Mt. Vernon
	Birmingham	Florida	Johnson City	Alexander	MacKsville	Norfolk	Cottonwood	Lakehurst	Tuxedo Park	Shreve	Heidelberg	De Smet	Olympia
	Cordova		Joliet	Alta Vista	Madison	No. Abington	Courtland	Lakewood	Union	Shiloh	Hooversville	Dlmock	Omak
	Ensey	Bristol	Karnak	Ames	Marquette	No. Andover	Danvers	Bladen	Van Etten	Landing	Jeannette	Egan	Sutton
	Faunsdale	Cross City	Leland	Andover	Malvern	N. Brookfield	Darfur	Blair	Walden	Spencer	Jersey Shore	Estilline	Wilbur
	Florence	Davenport	Leonore	Arlington	Millvale	N. Reading	Domelly	Blue Hill	Wappingers Falls	Sterling	Johnstown	Ethan	
	Jasper	Daytona	Loda	Auburn	Moline	Norwell	Eden Valley	Blue Springs	Watertown	Steuvenville	Kaylor	Fairfax	
	Lafayette	Delray	Long View	Auduhon	Neodesha	Norwood	Elbow Lake	Rushnell	Watkins	Summerfield	Kaiser	Florence	W. Virginia
	Lanett	Forest Park	Manchester	Batavia	Nortonville	Shrewsbury	Eyota	Campbell	Webster	Tiltonville	Kingston	Fort Pierce	Amos
	New Decatur	Ft. Lauderdale	Marengo	Baxter	Nortonville	Shrewsbury	Oxford	Fisher	Weedsport	Valley City	Landowne	Freeman	Athens
	Repton	Fort Myers	Marselles	Beam	Parsons	Spencer	Gibbon	Chester	West Onconia	Venedocia	Lansford	Garden City	Edgerton
	Uniontown	Fort Pierce	Martinsville	Bettendorf	Protection	Stoughton	Herman	Columbus	West Winfield	Vienna	Lebanon	Garretson	Elkins
	Wylam	Gainesville	Mathersville	Boxholm	Rantoul	Taunton	Hills	Culbertson	Newark	Williamson	Libertyboro	Gettysburg	Fort Gay
		Haines City	Medora	Bradysville	Russell	Wareham	Holland	Curtis	Northvale	Woodville	Wapakoneta	Grenville	Hambleton
		Hastings	Mendota	Breda	Sabatha	Weymouth	Ihlen	Creighton	Oaklyn	Warren	Loretto	Harrisburg	Horton
	Arizona	Holly Hill	Mokona	Bode	St. John	Winchester	Interl Falls	Dannebrog	Waynesburg	McAdoo	Henry	Henri	Lewisburg
		Jupiter	Melrose Park	Britt	Scott City		Kasson	Pompton Lakes	West Milton	McDonnellsburg	Hettland	Highmore	Lumberport
	Benson	Largo	Monticello	Britt	Soloman		Kellher	Pompton Plains	Weston	McDonald	Huboldt	Mannington	Mannington
	Bisbee	Laurel Hill	Morrison	Cascade	Syracuse		Lenzby	Prospect Park		McMahon	Isabel	Martinsburg	Martinsburg
	Clifton	Marianna	Mounds	Chariton	Tescott	Michigan	Littlefork	Rocky Hill		Manor	Jefferson	Milton	Montgomery
	Douglas	New Port Richey	Mt. Greenwood	Cherokee	Toronto	Algonac	Louisburg	Roselle Park		Martinsburg	Kadoka	Morgantown	Morgantown
	Jerome	Orlando	Mt. Morris	Clarinda	Troy	Alpena	Menahga	Seaside Heights		Black Creek	Kennebec	Mullens	Mullens
	Phoenix	Passargille	Mulkeytown	Clear Lake	Tyro	Bangor	Morris	Sea Isle City		Concord	Lake Andes	New Cumberland	New Cumberland
	Tombstone	Rockledge	Nashville	Cleghorn	Waldo	Baroda	New Market	Fullerton		Davidson	Lamre	Northfork	Northfork
	Winslow	Sanford	Nauvoo	Collins	Westmoreland	Winchester	Odesa	Geneva		Somers Point	Leimon	Nutterford	Nutterford
		Warpon Springs	Neponset	Coon Rapids			Belding	Galibon		Dunn	Montrose	Parsons	Parsons
	Arkansas	W. Palm Beach	Niantic	Correctionville			Red Wing	Giltner		Fayetteville	Montrose	Richwood	Richwood
		Winter Park	Oak Lawn	Emberland	Kentucky		Red Wing	Glenville		Summit	Morrisville	Rouelsburg	Rouelsburg
	Arkansas City		Oak Park	Dayton	Adairsville		Rush City	Grand Island		Trenton	Coweta	Star City	Star City
	Batesville	Georgia	Ogden	Defiance	Beaver Dam		Sanstone	Tuckerton		Grant	Mt. Union	St. Albans	St. Albans
	Berryville	Albany	Panama	Denver	Buckley		Cadillac	Havelock		Union	Dustin	Stealy Heights	Stealy Heights
	Bisbee	Ashburn	Paris	De Witt	Berea		Capac	Hardy		Verona	Muncy	Sutton	Sutton
	Camden	Bainbridge	Pawnee	Dows	Clay		Carlton	Hemmingford		W. Cape May	Fargo	Tenino	Tenino
	Cotton Plant	Barnesville	Paw Paw	Elgin	Columbus		Cass City	Herman		West Orange	New Berlin	Nunda	Nunda
	Dermott	Bowersville	Pittsburg	Essex	Elkton		Cedarville	Holdegre		Wildwood	Newport	Thomasp	Thomasp
	England	Bremen	Pleasant Hill	Estherville	Fredonia		Charlotte	Holstein		Woodridge	Nicholson	Shepherdstown	Shepherdstown
	Eudora	Buford	Plan	Fontella	Fulton		Clare	Homer			Grand	Star City	Star City
	Gwynn	Byron	Poplar Grove	Ft. Atkinson	Hardin		Clawson	Kenesaw		Old Fort	Northampton	Wiertown	Wiertown
	Heber	Carrollton	Potomac	Garnaville	Highland Park		Concord	Woodlake		Laurel	Oakmont		
	Luxora	Doerun	P										


THE IDEAL LOCKUP FOR SMALL TOWN AND VILLAGES




Where other facilities are not available and a separate building becomes necessary the single story building illustrated above supplies the most economical and secure accommodation for temporary prison. The cell equipment may consist of one, two or more cells which may be furnished with from one to four bunks each.

The above plan will be found advantageous for constructing a separate room in connection with the municipal building or town Hall. Our suggestions will place you under no obligation.


THE FOLLOWING FLOOR PLANS WILL HELP YOU



No. 1



No. 2



No. 3


The arrangements of cells shown above have been adopted by many communities and are giving excellent service. Plan No. 1 shows four cells with prisoners' exercise corridor in center. It is excellent for a small jail and makes a very convenient arrangement.

Plan No. 2 is intended for a town lockup and shows three cells for bad characters and one large cell containing extra bunks for tramps.


Plan No. 3 shows four cells joined together at the back and, with two or more bunks to each cell, will give sleeping accommodations for a large number of prisoners and, at the same time, isolate them to a reasonable extent.

All cells are made to order and any size or shape can be furnished. If your cell room is unusual in shape, send us a rough plan with measurements, location of doors, etc., and we will prepare a detailed plan showing the most judicious and economical arrangement. The accessories shown with cells can be furnished all ready for use, such as window guards, entrance doors, extra bunk, iron commodes, odorless soil buckets, etc.


Kindly send us full particulars of what is wanted and we will take pleasure in forwarding specifications in detail with a quotation that will interest you.



Detail Construction of Lattice Work




Illustrating Round Bar Grating—Only Two Bars to Out



Lattice Grating Requiring Six Bars to Cut

STEEL CELLS FOR COUNTY JAILS, VILLAGE AND CITY LOCK-UP USE



No. 9—Improved Steel Lattice Jail Cell

No. 9—Improved Steel Lattice Jail Cell

This cell is usually made 5 feet wide, 6½ feet deep, and 6½ feet high, but can be ANY DESIRED SIZE. It is equipped with many desirable modern appliances for convenience and safety in handling prisoners. A food opening is provided as shown by cut, which obviates the necessity of opening the door to pass food to the prisoner, and the lock is protected in such a manner that the occupant **CANNOT TAMPER WITH IT.** Cells may be provided with one or more folding bunks. Steel plate bottom can be furnished, if desired, and the top or any part of the walls of cell can be made of solid steel plate instead of lattice work.

The cell door shows our automatic "jump" lock bar which is secured to the door and consists of a flat steel bar extending the full height, arranged so that when the door is pushed shut, the lock bar will slide over the lugs and drop down into the slots and securely lock the door from top to bottom. A four-tumbler Yale prison padlock fastens the swinging hasp in place.


E. T. Barnum Iron Works

It gives us pleasure to advise you that about three years ago our City purchased from you three lattice Jail Cells for our Police Department. These proved so satisfactory that when we built our new Police Station, without even getting any prices from other jail manufacturers, we placed our order for two more Lattice Cells with you. The fact that we did not get prices from others will give you some idea of what we think of the construction, durability, and in every way satisfactory cells that you have made for us.

Yours truly,

Zion, Illinois.

T. R. BECKER, Chief of Police.



No. 7—Steel Lattice Jail Cage

This Jail Cage meets the requirements of towns that desire more than one cell to separate the sexes or certain classes of prisoners. It is composed of two No. 9 Steel Lattice Cells joined together with a solid steel plate partition between. Each cell is generally made 4½ or 5 feet wide, 6½ feet deep and 6½ feet high, but can be ANY SIZE desired. It is usually made without bottom and arranged to bolt to cement, stone or plank floor, is provided with one or more folding bunks, improved automatic jump lock bar and four-tumbler Yale prison padlock. Can be made with steel plate bottom when desired. The cage is constructed of flat steel bars, riveted at each intersection, all firmly riveted to a heavy steel angle frame, making it the safest and strongest cage made. If preferred, the top or any part of the outside walls of the cage can be made of solid steel plate instead of lattice work. Every city and town should have some protection of this kind. Steel cells are not usually included in the general contract, as they can be installed after the building is completed.


No. 12—Steel Lattice Jail Cage

(Top left off to show interior view.)

The illustration shows four cells joined together and is designed for towns and cities where a number of prisoners are confined at one time. Six, eight or any number of cells can be arranged in the same manner up to the size of the room, when accommodations for more prisoners are required. The cage is usually placed in the center of a room large enough to afford a jailer's corridor or walkway on four sides, so that the inmates may be in view from all sides without entering the cells. Sometimes one end of cage is made of solid steel plate and placed against one wall of room, thus giving a corridor on three sides. The top of cage is generally made of lattice work to admit air and light, but any part of the cage can be made of steel plate if desired. If the room in which cells are to be placed has a concrete floor, the steel floor may be omitted and the cells anchored to the concrete floor.

We can furnish any size to occupy any required space and with one to four bunks in each cell. The cut shows two folding bunks in each cell and doors are locked with our improved automatic jump-lock bar, additionally secured by a Yale four-tumbler prison padlock.


Cages are made in sections, set up in factory, fitted together carefully, painted, marked, taken down and shipped. Any mechanic or carpenter can set them in position readily and at small expense.



BIRD'S-EYE VIEW
Of a four cell cage with top
left off to show interior

**No. 12—Steel Lattice
jail Cage**

Send for Complete Jail Cell
Catalogue



No. 13—Steel Jail Cage with Exercise Corridor

No. 13—Steel Jail Cage with Exercise Corridor

(Top left off to show interior view.)


The illustration shows two solid steel plate cells with lattice prisoners' exercise corridor. The cells have lattice front and a portion of the back of each is lattice to afford proper ventilation.

Each cell is usually made 4½ or 5 feet wide, 6½ feet deep, and 6½ feet high, and the corridor 4 to 5 feet wide. Two bunks are shown in each cell, but the cells can be made large enough to accommodate four bunks each, if desired. The cell doors are locked with lever control locking device and corridor door has a heavy prison dead lock. The top of the cage can be made of solid steel plate or lattice.

The number of cells that can be joined together with corridor in front is limited only by the available space.

This cage is designed especially for a small county jail and any desired change can be made.

We would be pleased to give prospective purchaser the benefit of our long experience in jail cell building.




No. 16—Steel Lattice Cage

For efficient accommodation of six prisoners (two in each cell), this No. 16 Steel Lattice Cage is recommended. Material and construction is the same as for the No. 7 Cage.

Where a concrete floor is contemplated we advise omitting the steel floor and anchoring cells direct to the concrete. All three cells are equipped with our automatic jump lock bar comprising an instantaneous locking device as quickly as the door is closed.

When planning the new Jail Building we suggest that the steel cells be embodied in a separate contract as it will confine competition within distinct trade limits and results greatly to your advantage.



No. 15—Round-Bar Jail Cage


Illustrating a cage of two cells joined together and having a steel plate partition to separate prisoners. Each cell is usually made $4\frac{1}{2}$ or 5 feet wide, $6\frac{1}{2}$ feet deep and $6\frac{1}{2}$ feet high but may be supplied in any desired size. This cage is generally made without floor and arranged to bolt to concrete foundation. Each cell provided with one or two or more folding bunks. Doors are locked and stayed with our improved jump lock bar and additionally secured by a four-tumbler Yale prison padlock. The fronts, backs and sides are usually of bar grating work but steel plate may be substituted for the backs or sides if the cage is to stand close to the walls of building. Steel plate bottoms can be furnished and tops of grating work if desired.

MAUSOLEUM DOORS AND GATES OF STEEL AND BRONZE


The illustrations shown below indicate, in a general way, what can be furnished in this line. All work is made entirely to order so that any special or altered design may be made in keeping with the style of architecture and executed as readily as any of those illustrated. There are no STOCK SIZES. Bronze material is generally used where expense is not limited. All the equipment, such as screws, bolts, sockets, plates, etc., necessary to erect the door, are furnished complete and the work can be set in place by any ordinary mechanic without any trouble whatever.



No. 51—Mausoleum Doors



No. 42—Mausoleum Doors




No. 47—Mausoleum Doors

ALL DESIGNS OF VAULT DOORS CAN BE FURNISHED IN STEEL MATERIAL

Our complete portfolio shows a large variety of modern designs. Drawings and sketches of special work furnished without charge. When sending for portfolio, please state if interested in bronze or steel doors.

Ventilation is a necessity for Mausoleums and burial vaults. Our doors are equipped with ventilating shutters of the sliding or hinged type. Special tomb locks having three tumblers are provided in genuine bronze material.



No. 40—Mausoleum Doors

A modest and inexpensive design. Can be provided with shutters at rear of grilles in upper panels so as to allow for extra ventilation during the summer months.



No. 39—Mausoleum Gates

Intended mainly for openings which exceed four feet in width. The uprights are square and gates are strongly braced, making a very durable entrance. A dead lock may be used and the gates may also be arranged to operate with up and down bolts.



No. 44—Mausoleum Doors


WROUGHT IRON FENCING



Type "A"




Type "B"



Type "C"

DEPENDABLE FENCE SHOULD HAVE SUBSTANTIAL LINE POSTS

All line posts supplied with our fencing are equipped with adjustable connections for attaching the panels of fencing. These connections together with the flange foundation allows for the necessary contraction and expansion so that the fence itself can always be held to a straight line.



SUGGESTIONS FOR MEASURING BEFORE ORDERING OR WRITING FOR PRICES

(Full particulars permit close and exact estimating)


When taking measurements face the grounds from the outside and begin at one corner of lot and measure from outside of first post to center of gate and then center of gate to center of next gate or to opposite corner.

Indicate location of posts and gates; mark width of gates and how to swing and hinge.

The above plans indicate how measurements should be taken.


If graded, show high and low points; give grade and specify if uniform or otherwise.

When fence is to be curved or recessed at gateways please give radius.




No. 560—Wrought Steel Fence

Where brick, stone or cement posts are used, this type of construction is most desirable. The customary height for this design is 4 feet. Kindly send plan of grounds or measurements so we may quote special net prices.




No. 571—Wrought Steel Fence

This is a standard fence, both in design and construction. Always appropriate under most any conditions. For suburban and country homes, the wrought steel fence is most highly regarded.




No. 565—Wrought Steel Fence

Very appropriate where used in connection with coping or wall. The height can be varied to suit the wall dimensions, but we recommend the standard portion of 24 inches for height of wall, with the fence of equal height.



No. 470—Design Wrought Steel Fencing

For stone wall or coping, a steel picket fence makes the finest combination. Many other designs are suitable for this purpose. Posts may be solid or open, as preferred.




No. 495-C—Wrought Iron and Steel Fence

Made with round steel pickets.
Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of fence

	Price per lineal foot extra,		
	$\frac{1}{2}$ "	$\frac{3}{4}$ "	$\frac{1}{2}$ "
26 in. high, 30 in. high set.	\$1.70	\$1.90	each
30 in. high, 34 in. high set.	1.80	2.10	\$12.00
36 in. high, 40 in. high set.	1.90	2.30	16.00
42 in. high, 46 in. high set.	2.50	3.00	20.00
48 in. high, 52 in. high set.	2.70	3.20	24.00

Gates and large posts are charged extra, and are also measured in the fence.




No. 245-L—Wrought Iron and Steel Fence

Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of fence

	Price per lineal foot extra,		
	$\frac{1}{2}$ "	$\frac{3}{4}$ "	$\frac{1}{2}$ "
Round steel pickets, 26 in. high, 30 in. high when set.	\$2.40	\$2.80	each
Round steel pickets, 30 in. high, 34 in. high when set.	2.60	3.00	\$12.00
Round steel pickets, 36 in. high, 40 in. high when set.	2.80	3.20	14.00
Round steel pickets, 42 in. high, 46 in. high when set.	3.40	3.90	16.00
Round steel pickets, 48 in. high, 52 in. high when set.	3.60	4.10	18.00

Style of gate depends on height of fence.




No. 4300-C—Wrought Iron and Steel Fence

Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of fence

	Price per lineal foot extra,		
	$\frac{1}{2}$ "	$\frac{3}{4}$ "	$\frac{1}{2}$ "
Round steel pickets, 26 in. high, 30 in. high when set.	\$1.60	\$1.90	each
Round steel pickets, 30 in. high, 34 in. high when set.	1.80	2.10	\$12.00
Round steel pickets, 36 in. high, 40 in. high when set.	2.00	2.30	16.00
Round steel pickets, 42 in. high, 46 in. high when set.	2.50	3.10	20.00
Round steel pickets, 48 in. high, 52 in. high when set.	2.70	3.30	24.00
Round steel pickets, 54 in. high, 58 in. high when set.	3.50	4.20	28.00
Round steel pickets, 60 in. high, 64 in. high when set.	3.70	4.50	32.00
Round steel pickets, 66 in. high, 70 in. high when set.	3.90	5.00	36.00
Round steel pickets, 72 in. high, 76 in. high when set.	4.10	5.50	40.00
Round steel pickets, 78 in. high, 82 in. high when set.	4.50	6.00	44.00
Round steel pickets, 84 in. high, 88 in. high when set.	5.00	6.50	48.00

Gates and large posts are charged extra and are also measured in the fence.




No. 507-C—Wrought Iron and Steel Fence

Fence is made with square pickets.
Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of fence

	Price per lineal foot extra,		
	$\frac{1}{2}$ "	$\frac{3}{4}$ "	$\frac{1}{2}$ "
26 in. high, 30 in. high when set.	\$1.90	\$2.30	each
30 in. high, 34 in. high when set.	2.10	2.50	\$12.00
36 in. high, 40 in. high when set.	2.30	2.70	16.00
42 in. high, 46 in. high when set.	2.90	3.40	20.00
48 in. high, 52 in. high when set.	3.10	3.60	24.00

The steel panel in gate may be omitted and the design may be simplified.
The price of this gate depends upon the height and width of opening.



No. 508-C—Wrought Iron and Steel Fence


Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of

	Per lineal foot	3/4" tra.	1/2" tra.	3/8" tra.
Square steel pickets, 26 in. high, 30 in. high when set.	\$1.90	\$2.20		\$12.00
Square steel pickets, 30 in. high, 34 in. high when set.	2.10	2.40		16.00
Square steel pickets, 36 in. high, 40 in. high when set.	2.30	2.60		20.00
Square steel pickets, 42 in. high, 46 in. high when set.	2.80	3.40		24.00
Square steel pickets, 48 in. high, 52 in. high when set.	3.00	3.60		28.00

Price of Gate depends upon the height and width of opening. Send particulars for net price.

A most substantial fence and suitable for enclosing any kind of grounds. The pickets may be set square or on the diamond.



No. 485-C—Wrought Iron and Steel Fence


Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of

	Per lineal foot	3/4" tra.	1/2" tra.	3/8" tra.
Round steel pickets, 26 in. high, 30 in. high when set.	\$2.00	\$2.50		\$12.00
Round steel pickets, 30 in. high, 34 in. high when set.	2.20	2.70		16.00
Round steel pickets, 36 in. high, 40 in. high when set.	2.40	2.90		20.00
Round steel pickets, 42 in. high, 46 in. high when set.	3.10	3.50		24.00
Round steel pickets, 48 in. high, 52 in. high when set.	3.30	3.70		28.00

Gates and large posts are charged extra, and are also measured in the fence.

This style of post provides the best standard for permanent fence.



No. 491-C—Wrought Iron and Steel Fence


Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of

	Per lineal foot	3/4" tra.	1/2" tra.	3/8" tra.
Round steel pickets, 26 in. high, 30 in. high when set.	\$2.00	\$2.50		\$12.00
Round steel pickets, 30 in. high, 34 in. high when set.	2.20	2.70		16.00
Round steel pickets, 36 in. high, 40 in. high when set.	2.40	2.90		20.00
Round steel pickets, 42 in. high, 46 in. high when set.	3.10	3.50		24.00
Round steel pickets, 48 in. high, 52 in. high when set.	3.30	3.70		28.00

Gates and large posts are charged extra and are also measured in the line of fence.

Style of gate depends on height of fence.




No. 494-C—Wrought Iron and Steel Fence

Price includes Adjustable Line Posts, Braces and Foundations.

Large posts for gates, corners and ends of

	Per lineal foot	3/4" tra.	1/2" tra.	3/8" tra.
Round steel pickets, 26 in. high, 30 in. high when set.	\$2.80	\$3.20		12.00
Round steel pickets, 30 in. high, 34 in. high when set.	3.00	3.40		16.00
Round steel pickets, 36 in. high, 40 in. high when set.	3.20	3.60		20.00
Round steel pickets, 42 in. high, 46 in. high when set.	3.80	4.00		24.00
Round steel pickets, 48 in. high, 52 in. high when set.	4.00	4.20		28.00

The posts illustrated above may be changed to the open type. This style of gate is sometimes altered to suit the height of fence and ground conditions.




No. 486-C—Wrought Iron and Steel Fence

Price includes Adjustable Line Posts, Braces and Foundations.
Large posts for gates, corners and ends of fence, extra


	3/8"	1/2"	5/8"
Height 26 in., when set 30 in., per lineal ft.....	\$1.90	\$2.10	\$2.10
Height 30 in., when set 34 in., per lineal ft.....	2.10	2.30	2.30
Height 36 in., when set 40 in., per lineal ft.....	2.30	2.50	2.50
Height 42 in., when set 46 in., per lineal ft.....	2.50	2.70	2.70
Height 48 in., when set 52 in., per lineal ft.....	2.70	2.90	2.90

Design of gates usually varies according to size of gate and pickets.
Gates and large posts are charged extra and are also measured in the fence.



No. 505-C—Wrought Iron Fence

3/8-in. round pickets; height from ground or coping, 37 in., per lineal ft....\$ 1.00
Steel posts for gates, as illustrated, each..... 8.00
Single walk gate..... 12.00
Double gate (either walk or drive)..... 32.00
Gates and posts are charged extra and also measured in the line of fence.




No. 493-C—Design Wrought Iron and Steel Fence

Price includes Adjustable Line Posts, Braces and Foundations.
Large posts for gates, corners and ends of fence, extra

	3/8"	1/2"	5/8"
Round steel pickets, 26 in. high, 30 in. high when set, per lineal ft.....	\$1.80	\$2.00	\$2.00
Round steel pickets, 30 in. high, 34 in. high when set, per lineal ft.....	2.00	2.20	2.20
Round steel pickets, 36 in. high, 40 in. high when set, per lineal ft.....	2.20	2.40	2.40
Round steel pickets, 42 in. high, 46 in. high when set, per lineal ft.....	2.60	3.30	3.30
Round steel pickets, 48 in. high, 52 in. high when set, per lineal ft.....	2.80	3.50	3.50

The style of gate depends upon the height of fence.



No. 514-C—Wrought Iron Fence

3/8-in. round pickets; height from ground or coping, 37 in., per lineal ft....\$ 1.00
Single walk gate..... 12.00
Double gate (either walk or drive)..... 32.00
Steel posts for gates, as illustrated, each..... 8.00
Gates and posts are charged extra and also measured in the line of fence.


E. T. Barnum Iron & Wire Works!
The fencing that I purchased from you was fully up to the standard for what you advertised in your catalog, and furthermore I thank you for making such prompt shipment.
Yours very truly,
C. H. WERNER.
Waterloo, Iowa.

PROTECTION FOR YOUR PROPERTY—SUBSTANTIAL and PERMANENT


(Square Pickets Set Square)

This design is the well known standard universally recommended by architects and builders. No other type is so effective for enclosing private or public grounds.

Usually supplied 5 and 6 feet high but can be furnished any height and with or without center rail.



No. 519—Wrought Steel Fence



No. 487—Wrought Iron and Steel Fence

No. 516—Design


The pickets are sharpened and bent either in or out or alternating, making it difficult to climb and dangerous to the intruder.

This Fence is particularly desirable for Parks, Jails or other Public Grounds and can be made in any height. ADDITIONAL CROSS RAILS ARE ADDED WHERE A HIGHER FENCE IS DESIRED.


The style of Gate depends upon the height of the Fence. Other designs of posts can be substituted if desired.

Extra heavy, extra strong and extra good. The double rail construction provides the additional strength for heavy duty. Especially designed for institutional enclosures.

A rough plan of ground to be enclosed will assist us in offering suggestions of value. Drawings and estimates submitted without obligation to you.




No. 501—Wrought Iron and Steel Fence



No. 784—Wrought Steel Entrance Gates




No. 744—Wrought Steel Entrance Gates



No. 824—Wrought Steel Entrance Gates




No. 511—Entrance Gates and Fence



No. 523—Entrance Gates and Fence


For private estates and country homes, we are supplying iron and steel fences of every type and design. We have hundreds of drawings for your selection. The design shown above is not expensive and may be altered to suit conditions of the area to be enclosed. Iron posts of the open, or solid type, may be used, thus reducing the expense.



No. 521—Entrance Gates and Fence


Simple and substantial in construction and design. All our fences are mechanically correct, designed and executed by experts. Our engineering department will solve your problems. Grades, ravines, switching tracks, drive ways, etc., provide no obstacles we cannot overcome.

You incur no obligation by getting our suggestions on any subject along these lines. Service is a part of our business.




No. 760-B—Entrance Arch and Gates

Unusually substantial construction and the finest arch at a modest price. Designed especially for cemetery entrances. Standard width of opening is 12 feet but we can supply any dimensions.
Double gates, posts and arch, complete.....\$200.00
Single walk gate with post at side.....16.00
A cross or other appropriate insignia will be placed over the arch without extra charge.




No. 772-B—Entrance Arch and Gates

An attractive design and especially suitable for small cemeteries. Recommended and usually supplied with 12 foot opening. The name may be finished in white or gold as preferred.
Double gate, posts and arch, complete.....\$136.00
Single walk gate with post at side.....16.00
A cross of suitable size may be substituted for the scroll surmounting arch.




No. 792—Cemetery Entrance Gates with Arch

This design and construction is particularly suitable for the larger cemetery where an imposing entrance is required to complete the general effect. Minor details may be altered so as to have it appear different from any other. The gates are graceful in design and appearance and may be supplied in any width.




No. 788—Cemetery Entrance Gates with Arch

The piers can be of brick, stone or concrete, affording a most attractive entrance.
The gates are graceful in design and appearance and may be supplied in any width.



No. 748—Cemetery Entrance Gates




No. 741—Wrought Steel Cemetery Entrance



No. 770—Cemetery Entrance Gates

WOVEN WIRE FENCE


SECURE - PERMANENT - INDESTRUCTIBLE - NOT EXPENSIVE



No. 537—Protection Wire Fence. Interwoven Link Construction


The best and cheapest fence for school yards, athletic fields, playgrounds, industrial plants, country estates, etc. Supplied in heights 4 to 10 feet. Fabric, posts and fittings. **HOT GALVANIZED AFTER MAKING** provides a genuine rust-proof finish and when erected in concrete requires no maintenance expense.

Owing to the special construction and great variety of equipment, it is necessary to obtain approximate measurements and particulars in order to quote a close net price.




No. 527—Protection Wire Fence. Interwoven Link Construction

Made in extra heavy construction, with the non-climbable guard, as illustrated, will absolutely prevent intruders. Especially suitable for industrial plants and game parks. Entrance gates in sliding or swinging type for any width opening.



No. 30—Tennis Backstop

Constructed of galvanized wire fabric mounted on galvanized tubular framework. The height may vary from 8 to 12 feet and arranged to enclose the standard tennis court. Please enclose sketch or plan when writing for prices.




No. 25-C—Galvanized Wire Fence

	Per lineal foot
36 in. high, complete with posts and ground foundations	\$1.25
42 in. high, complete with posts and ground foundations	1.35
48 in. high, complete with posts and ground foundations	1.45
54 in. high, complete with posts and ground foundations	1.55

Single Gates, \$8.00 extra; Double Gates, \$16.00 extra and measured in as fence.

Heights given allow the web to be placed 2 or 3 inches above the ground. This Fence is regularly made with pickets 3 inches apart.




No. 17-E—Galvanized Wire Fence

36 inches high.....	per lineal foot, \$1.35
42 inches high.....	per lineal foot, 1.45

Price includes steel posts and foundations. Extra for single gate, \$8.00.

A very attractive, durable and inexpensive fence. The pickets and cross wires are galvanized steel wire and top frame and posts are steel, and are usually painted black. On orders for less than 25 feet, posts are charged extra.



No. 499-C—Wrought Iron Cemetery Lot Fence


Pickets are round steel. Price includes line posts and foundations.

	—Per lineal foot—	Large Posts for gates
	$\frac{3}{8}$ " $\frac{1}{2}$ " $\frac{5}{8}$ " $\frac{3}{4}$ "	Extra
26-in. pickets, 30 in. high when set....	\$1.90 \$2.10	\$12.00
30-in. pickets, 34 in. high when set....	2.10 2.30 \$2.90	16.00
36-in. pickets, 40 in. high when set....	2.30 2.50 3.10	20.00
42-in. pickets, 46 in. high when set....	2.70 3.30 4.00	24.00
48-in. pickets, 52 in. high when set....	2.90 3.50 4.20	28.00

The small wrought posts at corners are \$2.00 each, net extra.

Gates and large posts are charged extra and also measured in fence.

Name plate can be placed on gate costing extra depending upon the lettering desired.




No. 21-E—Woven Wire Picket Fence

To staple to wood posts. Made entirely of galvanized wire.

Per lin. ft.	Per lin. ft.	Per lin. ft.
30 in. high..\$0.24	47 in. high..\$0.30	65 in. high..\$0.40
35 in. high.. .26	53 in. high.. .33	70 in. high.. .48
41 in. high.. .28	59 in. high.. .36	

We do not furnish the wood posts.

Gates to match this fence made with steel tubular frame and all necessary attachments for wood posts can also be furnished separately for opening.




No. 26-C—Galvanized Wire Fence

36 inches high, complete with posts and ground foundations, per lineal foot	\$1.40	48 inches high, complete with posts and ground foundations, per lineal foot	\$1.60
42 inches high, complete with posts and ground foundations, per lineal foot	\$1.50	54 inches high, complete with posts and ground foundations, per lineal foot	\$1.70

Single Gates \$8.00 extra; Double Gates \$16.00 extra, and measured in as fence.

Made entirely of heavy galvanized wire and especially suitable for residence or country home grounds. All posts and rails are of heavy steel tubing. Easily adjustable to uneven ground surface. Erecting diagram and complete directions for assembly and erection.

WOVEN WIRE ARCH AND TRELLISES




No. 8-D—Wire Arch No. 14-C— No. 12-C— No. 13-C

Standard sizes listed below:

Height	Span	Width	
4 ft.	24 in.	12 in.	\$12.00
5 ft.	28 in.	14 in.	14.00
6 ft.	36 in.	16 in.	17.00
7 ft.	42 in.	20 in.	21.00

Trellises, Arches, Arbors, Flower Bed Borders, Shrubby Guards and other miscellaneous wire work for lawn, parks, gardens, etc., made to order in any size and shape. SEND PAPERS FOR SPECIALLY PRICES.



No. 48-F—Wrought Steel Settee

4 feet long.....	\$15.00
5 feet long.....	18.00
6 feet long.....	22.00

Prices are for Settees painted green.

The construction of legs and braces is changed to conform to the length of Settee.

Settees are shipped "K. D." or set up at our direction.

Can be made to order any desired length.

Adapted for public parks, lawns, waiting rooms, etc. Very substantial and practically indestructible. The strongest Settee made. Positively unbreakable.



No. 64-B—Park Settee

The superiority of this Settee is apparent at sight. Each leg is made of one piece of steel 2 inches wide. This feature makes the Settee more rigid than if made in sections and riveted or bolted together. This Settee is of heavy construction and is especially adapted for public grounds. Shipped taken apart to save freight.

4 feet long. Price.....\$8.00

5 feet long. Price.....9.00

Special price in lots of 1 dozen or more.

PARK AND GARDEN FURNITURE AND FIXTURES

Our fountain catalog, illustrating nearly one hundred different designs, will be mailed to prospective purchasers




No. 28-E—Out-in-the-Rain Fountain

Suitable for a six or nine-foot ground basin.

Total height about 4 feet 10 inches, finished in bronze..\$300.00

Painted, one coat of paint.....275.00

Price does not include the basin shown.



No. 570-C—Boy and Swan Fountain

This model can be supplied in two standard sizes. Most appropriate for conservatory purposes.

A charming group for the informal garden or display purposes.



No. FE1—Vase

Height to top of handles, 47 inches. Diameter of vase, 22 inches. Width, including handles, 30 inches. Base, 17 inches square. Capacity of reservoir, 1½ gallons. Price, painted white....\$42.00



No. FE4—Vase

Height to top of handles, 26 inches. Diameter of vase, 22 inches. Width, including handles, 30 inches. Base, 14 inches square. Capacity of reservoir, 1½ gallons. Price, painted white....\$30.00



No. ER5—Vase

Height, 46 inches. Diameter of vase, 21 inches. Capacity of reservoir, 2½ gallons. Price, painted white....\$44.00



No. ES2—Vase

Height to top of handles, 48 inches. Diameter of vase, 22 inches. Width, including handles, 30 inches. Capacity of reservoir, 3 gallons. Price, painted white...\$48.00